

HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33#BUILDING. ENTERPRISES HEADQUARTERS BASE, RUIDA



Email: bb@bebonchina.com Mobile: +86-13526723480

Phone: +86-371-86151527 Fax: +86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

PRODUCT	GRADE	SIZE	QTY	PCS	EXW PRICE(USD/MT)
Angle steel	S355ML	50*50*5*2500	0.009	1	746.03
Angle steel	S355ML	50*50*5*5000	0.019	1	746.03
Angle steel	S355ML	L50*50*5*12000	30.314	670	746.03
Angle steel	S355ML	L50*50*5*6000	2.799	124	746.03
Angle steel	S355ML	L50*50*5*7000	3.088	117	746.03
Angle steel	S355ML	L50*50*5*8000	10.979	364	746.03
Angle steel	S355ML	L50X50X5X12000	1.855	41	746.03
Angle steel	S355ML	50*50*6*5000	0.022	1	746.03
Angle steel	S355ML	L50*50*6*12000	14.993	280	746.03
Angle steel	S355ML	L50*50*6*6000	37.107	1383	746.03
Angle steel	S355ML	L50*50*6*8000	9.253	259	746.03
Angle steel	S355ML	L63*63*6*12000	33.845	493	746.03
Angle steel	S355ML	L63*63*6*12000	0.069	1	746.03
Angle steel	S355ML	L70*70*6*12000	28.134	357	746.03
Angle steel	S355ML	L70*70*6*7000	2.332	52	746.03
Angle steel	S355ML	L70*70*6*8000	9.737	190	746.03
Angle steel	S355ML	75*75*6*5000	0.045	2	746.03
Angle steel	S355ML	L75*75*6*12000	2.236	27	746.03
Angle steel	S355ML	L75*75*6*12000	0.58	7	747.09
Angle steel	S355ML	L75*75*6*6000	0.004	0	746.03
Angle steel	S355ML	L75*75*6*6000	0.041	1	747.09
Angle steel	S355ML	L75*75*8*12000	8.241	76	746.03
Angle steel	S355ML	L75*75*8*7000	0.506	8	746.03
Angle steel	S355ML	L75*75*8*8000	4.767	66	746.03
Angle steel	S355ML	80*80*8*4500	0.043	1	746.03
Angle steel	S355ML	L80*80*8*12000	17.503	151	746.03
Angle steel	S355ML	L80*80*8*7000	8.706	129	746.03
Angle steel	S355ML	L80*80*10*6000	49.086	689	746.03
Angle steel	S355ML	L80*80*10*6000	0.214	3	746.03
Angle steel	S355ML	L80*80*10*7000	24.69	297	746.03
Angle steel	S355ML	L90*90*8*7000	4.292	56	746.03
Angle steel	S355ML	L90*90*10*12000	50.617	313	746.03
Angle steel	S355ML	L90X90X10*12000	9.363	58	746.03
Angle steel	S355ML	L90X90X10X6000	8.005	99	746.03
Angle steel	S355ML	L100*100*12*12000	0.083	0	730.16
Angle steel	S355ML	L100*100*8*12000	34.174	232	746.03
Angle steel	S355ML	L100*100*8*12000	9.73	66	746.03
Angle steel	S355ML	L100*100*8*12000	2.505	17	746.03
Angle steel	S355ML	L100*100*10*12000	25.946	143	746.03
Angle steel	S355J2	L125*125*8*12000	13.21	71	722.22

Angle steel	S355J2	L125*125*8*9000	2.651	19	722.22
Angle steel	S355J2	L125*125*12*12000	0.272	1	722.22
Angle steel	S355ML	L125*125*8*12000	33.489	180	746.03
Angle steel	S355ML	L125*125*10*10000	2.108	11	746.03
Angle steel	S355ML	L125*125*10*10000	0.955	5	746.03
Angle steel	S355ML	L125*125*10*12000	30.765	134	746.03
Angle steel	S355J2	L140*140*14*12000	23.011	65	722.22
Angle steel	S355ML	L160*160*12*12000	0.353	1	746.03
Angle steel	S355ML	L160*160*14*12000	19.575	50	746.03
Angle steel	S355ML	L160*160*16*12000	16.649	36	746.03
Angle steel	S355ML	L180*180*16*12000	35.529	68	746.03
Angle steel	S355J2	L200*75*10*6000	0.083	1	714.29
Angle steel	S355J2	L200*90*10*6000	0.254	2	714.29
Angle steel	S355J2	L200*125*12*6000	1.282	8	714.29
Angle steel	S355J2	L200*200*15*6000	6.492	25	714.29
Angle steel	S355J2	L200*200*15*6000	0.566	2	714.29
Angle steel	S355J2	L200*200*16*12000	22.199	38	722.22
Angle steel	S355J2	L200*200*20*7700	0.462	1	722.22
Angle steel	S355J2	L200*200*16*12000	2.921	5	746.03
Angle steel	S355J2	L250*90*12*6000	0.536	3	714.29
Angle steel	S355J2	L250*100*10*6000	2.642	17	714.29
Equal angle	S235JR	25*3	1.124	400	444.45
Equal angle	S235JR	30*3	1.373	300	412.7
Equal angle	S235JR	30*4	1.786		412.7
Equal angle	S235JR	40*3	1.852	201/241	373.02
Equal angle	S235JR	40*4	2.422		373.02
Equal angle	S235JR	40*5	2.976		412.7
Equal angle	S235JR	50*4	3.059	135/150	373.02
Equal angle	S235JR	50*5	3.770		373.02
Equal angle	S235JR	50*6	4.465	98	412.7
Equal angle	S235JR	56*4		100	500
Equal angle	S235JR	56*5			500
Equal angle	S235JR	60*5	4.570	102	388.89
Equal angle	S235JR	60*6	5.420		388.89
Equal angle	S235JR	63*5	4.822	95/102	388.89
Equal angle	S235JR	63*6	5.721		388.89
Equal angle	S235JR	63*8	7.469		388.89
Equal angle	S235JR	70*5	5.397	88	388.89
Equal angle	S235JR	70*6	6.406		388.89
Equal angle	S235JR	70*8	8.373		388.89
Equal angle	S235JR	75*5	5.818	130	388.89
Equal angle	S235JR	75*6	6.905	88	388.89
Equal angle	S235JR	75*8	9.030	100	388.89
Equal angle	S235JR	75*10	11.089	88	388.89
Equal angle	S235JR	80*6	7.376	88	388.89
Equal angle	S235JR	80*8	9.658	88	388.89
Equal angle	S235JR	80*10	11.874	88	388.89

Equal angle	S235JR	90*6	8.350	68	388.89
Equal angle	S235JR	90*8	10.946	48	388.89
Equal angle	S235JR	90*10	13.476	60	388.89
Equal angle	S235JR	100*6	9.366	58	388.89
Equal angle	S235JR	100*8	12.276	58	388.89
Equal angle	S235JR	100*10	15.120	48	388.89
Equal angle	S235JR	100*12	17.898	48	420.63
Equal angle	S235JR	110*7	11.928	48	420.63
Equal angle	S235JR	110*8	13.532	48	420.63
Equal angle	S235JR	110*10	16.690	48	420.63
Equal angle	S235JR	125*8	15.504	48	420.63
Equal angle	S235JR	125*10	19.133		420.63
Equal angle	S235JR	125*12	22.696		420.63
Equal angle	S235JR	140*10	21.488	48	420.63
Equal angle	S235JR	140*12	25.522		420.63
Equal angle	S235JR	140*14	29.490	26	420.63
Equal angle	S235JR	160*10	24.729	10./20	420.63
Equal angle	S235JR	160*12	29.391		420.63
Equal angle	S235JR	160*14	33.987		420.63
Equal angle	S235JR	160*16	38.518		420.63
Equal angle	S235JR	180*12	33.159	10	468.25
Equal angle	S235JR	180*14	38.383		468.25
Equal angle	S235JR	180*16	43.542		468.25
Equal angle	S235JR	180*18	48.634		468.25
Equal angle	S235JR	200*14	42.894	8./10	468.25
Equal angle	S235JR	200*16	48.680		468.25
Equal angle	S235JR	200*18	54.401		468.25
Equal angle	S235JR	200*20	60.056		468.25
Equal angle	S235JR	200*24			492.06
Unequal angle	S235JR	56*36*4-6M	2.818	160	531.75
Unequal angle	S235JR	56*36*5-6M	3.466	171	531.75
Unequal angle	S235JR	63*40*5-6M	3.920	163	365.08
Unequal angle	S235JR	63*40*5-6M			380.95
Unequal angle	S235JR	63*40*5-6M			404.76
Unequal angle	S235JR	63*40*6-6M	4.638		365.08
Unequal angle	S235JR	63*40*6-6M			380.95
Unequal angle	S235JR	63*40*6-6M			404.76
Unequal angle	S235JR	75*50*5-6M	4.808	131	365.08
Unequal angle	S235JR	75*50*5-6M			380.95
Unequal angle	S235JR	75*50*5-6M			404.76
Unequal angle	S235JR	75*50*6-6M	5.699		365.08
Unequal angle	S235JR	75*50*6-6M			380.95
Unequal angle	S235JR	75*50*6-6M			404.76
Unequal angle	S235JR	75*50*8-6M	7.431	100	365.08
Unequal angle	S235JR	75*50*8-6M			380.95
Unequal angle	S235JR	75*50*8-6M			404.76
Unequal angle	S235JR	90*56*6-9M			365.08

Unequal angle	S235JR	90*56*6-9M	6.717	81	380.95
Unequal angle	S235JR	90*56*6-9M			404.76
Unequal angle	S235JR	90*56*8-9M			380.95
Unequal angle	S235JR	90*56*8-9M	8.779		396.83
Unequal angle	S235JR	90*56*8-9M			420.63
Unequal angle	S235JR	100*63*6-9M		46	380.95
Unequal angle	S235JR	100*63*6-9M	7.550		396.83
Unequal angle	S235JR	100*63*6-9M			420.63
Unequal angle	S235JR	100*63*8-9M			380.95
Unequal angle	S235JR	100*63*8-9M	9.878		396.83
Unequal angle	S235JR	100*63*8-9M			420.63
Unequal angle	S235JR	100*63*10-9M		53	380.95
Unequal angle	S235JR	100*63*10-9M	12.142		396.83
Unequal angle	S235JR	100*63*10-9M			420.63
Unequal angle	S235JR	100*80*8-9M		48	380.95
Unequal angle	S235JR	100*80*8-9M	10.946		396.83
Unequal angle	S235JR	100*80*8-9M			420.63
Unequal angle	S235JR	100*80*10-9M		48	380.95
Unequal angle	S235JR	100*80*10-9M	13.476		396.83
Unequal angle	S235JR	100*80*10-9M			420.63
Unequal angle	S235JR	110*70*8-9M		50	396.83
Unequal angle	S235JR	110*70*8-9M	10.946		412.7
Unequal angle	S235JR	110*70*8-9M			436.51
Unequal angle	S235JR	110*70*10-9M			396.83
Unequal angle	S235JR	110*70*10-9M	13.476		412.7
Unequal angle	S235JR	110*70*10-9M			436.51
Unequal angle	S235JR	125*80*8-9/12M		50	380.95
Unequal angle	S235JR	125*80*8-9/12M	12.551		396.83
Unequal angle	S235JR	125*80*8-9/12M			420.63
Unequal angle	S235JR	125*80*10-9/12M			380.95
Unequal angle	S235JR	125*80*10-9/12M	15.474		396.83
Unequal angle	S235JR	125*80*10-9/12M			420.63
Unequal angle	S235JR	125*80*12-9/12M		38	380.95
Unequal angle	S235JR	125*80*12-9/12M	18.330		396.83
Unequal angle	S235JR	125*80*12-9/12M			420.63
Unequal angle	S235JR	140*90*8-9/12M		38	380.95
Unequal angle	S235JR	140*90*8-9/12M	14.100		396.83
Unequal angle	S235JR	140*90*8-9/12M			420.63
Unequal angle	S235JR	140*90*10-9/12M		35	388.89
Unequal angle	S235JR	140*90*10-9/12M	17.475		412.7
Unequal angle	S235JR	140*90*10-9/12M			436.51
Unequal angle	S235JR	140*90*12-9/12M		30	388.89
Unequal angle	S235JR	140*90*12-9/12M	20.724		412.7
Unequal angle	S235JR	140*90*12-9/12M			436.51
Unequal angle	S235JR	160*100*10-9/12M		19.872	388.89
Unequal angle	S235JR	160*100*10-9/12M			412.7
Unequal angle	S235JR	160*100*10-9/12M			436.51
Unequal angle	S235JR	160*100*12-9/12M			388.89

Unequal angle	S235JR	160*100*12-9/12M	23.592	20	412.7
Unequal angle	S235JR	160*100*12-9/12M			436.51
Unequal angle	S235JR	160*100*14-9/12M			388.89
Unequal angle	S235JR	160*100*14-9/12M	27.247		420.63
Unequal angle	S235JR	160*100*14-9/12M			436.51
Unequal angle	S235JR	180*110*10-12M			444.44
Unequal angle	S235JR	180*110*10-12M	22.273		468.25
Unequal angle	S235JR	180*110*12-12M			444.44
Unequal angle	S235JR	180*110*12-12M	26.464	20	468.25
Unequal angle	S235JR	180*110*14-12M			444.44
Unequal angle	S235JR	180*110*14-12M			468.25
Unequal angle	S235JR	180*110*16-12M			444.44
Unequal angle	S235JR	180*110*16-12M			468.25
Unequal angle	S235JR	200*125*12-12M			444.44
Unequal angle	S235JR	200*125*12-12M	29.761		468.25
Unequal angle	S235JR	200*125*14-12M			444.44
Unequal angle	S235JR	200*125*14-12M	34.436	14	468.25
Unequal angle	S235JR	200*125*16-12M			444.44
Unequal angle	S235JR	200*125*16-12M	39.045		468.25
Unequal angle	S235JR	200*125*18-12M			444.44
Unequal angle	S235JR	200*125*18-12M			468.25
I beam	S235JR	10#-6/9M			365.08/380.95
I beam	S235JR	10#-6/9M	11.231	40/48	396.83
I beam	S235JR	10#-6/9M			412.7
I beam	S235JR	10#-6/9M			468.25
I beam	S235JR	12#-6/9M			365.08/380.95
I beam	S235JR	12#-6/9M	13.987	40/48	396.83
I beam	S235JR	12#-6/9M			412.7
I beam	S235JR	12#-6/9M			468.25
I beam	S235JR	14#-6/9M			365.08/380.95
I beam	S235JR	14#-6/9M	16.890	30	396.83
I beam	S235JR	14#-6/9M			412.7
I beam	S235JR	14#-6/9M			468.25
I beam	S235JR	16#-6/9M			365.08/380.95
I beam	S235JR	16#-6/9M	20.513	24	396.83
I beam	S235JR	16#-6/9M			412.7
I beam	S235JR	16#-6/9M			468.25
I beam	S235JR	18#-6/9M		20	365.08/380.95
I beam	S235JR	18#-6/9M	24.143		396.83
I beam	S235JR	18#-6/9M		20	412.7
I beam	S235JR	18#-6/9M			460.32
I beam	S235JR	20#A-6/9/12M			365.08/380.95
I beam	S235JR	20#A-6/9/12M	27.929	16	396.83
I beam	S235JR	20#A-6/9/12M			452.38
I beam	S235JR	20#B-9/12M			404.76
I beam	S235JR	20#B-9/12M	31.069	12,16	420.63
I beam	S235JR	22#A-9/12M			404.76

I beam	S235JR	22#A-9/12M	33.070	16	428.57
I beam	S235JR	22#A-9/12M			452.38
I beam	S235JR	22#B-12M	36.524	12	404.76
I beam	S235JR	22#B-12M			420.63
I beam	S235JR	25#A-9/12M	38.105	12	365.08/380.95
I beam	S235JR	25#A-9/12M			404.76
I beam	S235JR	25#A-9/12M			452.38
I beam	S235JR	25#B-12M	42.030	12	412.7
I beam	S235JR	25#B-12M		12	436.51
I beam	S235JR	28#A-9/12M	43.492	12	412.70/428.57
I beam	S235JR	28#A-9/12M			444.44
I beam	S235JR	28#A-9/12M			468.25
I beam	S235JR	28#B-12M	47.888	12	420.63
I beam	S235JR	28#B-12M			436.51
I beam	S235JR	28#B-12M			468.25
I beam	S235JR	30#A-12M	48.084	12	428.57
I beam	S235JR	30#A-12M			444.44
I beam	S235JR	30#A-12M			468.25
I beam	S235JR	30#B-12M	52.794	12	428.57
I beam	S235JR	30#B-12M			468.25
I beam	S235JR	32#A-12M	52.717	12	428.57
I beam	S235JR	32#A-12M			444.44
I beam	S235JR	32#A-12M			468.25
I beam	S235JR	32#B-12M	57.741	12	436.51
I beam	S235JR	32#B-12M			468.25
I beam	S235JR	32#C-12M	62.765	12	539.68
I beam	S235JR	36#A-12M	60.037	6	428.57
I beam	S235JR	36#A-12M			444.44
I beam	S235JR	36#A-12M			468.25
I beam	S235JR	36#B-12M	65.689	6	444.44
I beam	S235JR	36#B-12M			473.02
I beam	S235JR	36#C-12M	71.341	6	539.68
I beam	S235JR	40#A-12M	67.598	6	436.51
I beam	S235JR	40#A-12M			452.38
I beam	S235JR	40#A-12M			468.25
I beam	S235JR	40#B-12M	73.878	6	452.38
I beam	S235JR	40#B-12M			468.25
I beam	S235JR	40#C-12M	80.158	6	571.43
I beam	S235JR	45#A-12M	80.420	6	595.24
I beam	S235JR	45#A-12M			571.43
I beam	S235JR	45#A-12M			571.43
I beam	S235JR	45#B-12M	87.485	6	595.24
I beam	S235JR	45#B-12M			595.24
I beam	S235JR	45#C-12M	94.550	6	595.24
I beam	S235JR	56#A-12M	106.316	6	595.24
I beam	S235JR	56#A-12M			595.24
I beam	S235JR	56#A-12M			595.24

I beam	S235JR	56#B-12M	115.108	6	595.24
I beam	S235JR	56#B-12M			595.24
I beam	S235JR	56#C-12M		6	595.24
I beam	S235JR	63#A-12M	121.407	6	595.24
I beam	S235JR	63#A-12M			595.24
I beam	S235JR	63#A-12M			595.24
I beam	S235JR	63#B-12M	131.298	6	595.24
I beam	S235JR	63#B-12M			595.24
I beam	S235JR	63#C-12M		6	595.24
I beam	S235JR	10# 6m			393.65
I beam	S235JR	10# 9m			387.3
I beam	S235JR	12# 9m			387.3
I beam	S235JR	14# 9m			387.3
I beam	S235JR	16# 12m			401.59
I beam	S235JR	16# 9m			387.3
I beam	S235JR	20#B 12m			396.83
I beam	S235JR	22#B 12m			396.83
I beam	S235JR	25#B 12m			396.83
I beam	S235JR	28#A 12m			396.83
I beam	S235JR	30#A 12m			396.83
I beam	S235JR	30#B 12m			396.83
I beam	S235JR	32#A 12m			398.41
I beam	S235JR	32#B 12m			398.41
I beam	S235JR	32#C 12m			431.75
I beam	S235JR	36#A 12m			409.52
I beam	S235JR	36#B 12m			409.52
I beam	S235JR	40#A 12m			409.52
I beam	S235JR	40#B 12m			409.52
I beam	S235JR	40#C 12m			444.44
I beam	S235JR	45#A 12m			431.75
I beam	S235JR	45#B 12m			433.33
I beam	S235JR	45#C 12m			452.38
I beam	S235JR	63#A 12m			523.81
I beam	S235JR	63#B 12m			523.81
H beam	Q345D	488*300*18*11*3940	34.103	67	698.41
H beam	Q345D	488*300*18*11*6405	18.194	22	698.41
H beam	Q345D	488*300*18*11*6690	20.736	24	698.41
H beam	Q345D	488*300*18*11*7755	6.006	6	698.41
H beam	Q345E	H100*100*6*8*12000	70.071	346	1317.46
H beam	Q345E	H125*125*6.5*9*10000	0.236	1	1317.46
H beam	Q345E	H125*125*6.5*9*12000	52.956	187	1317.46
H beam	Q345E	H125*125*6.5*9*9000	19.753	93	1317.46
H beam	Q345E	H250*250*9*14	0.862	1	1317.46
H beam	Q345E	H250*250*9*14*12000	21.566	25	1317.46
H beam	Q345E	H200*200*8*12	7.185	12	1317.46
H beam	Q345E	H200*200*8*12	7.784	13	1317.46
H beam	Q345E	H175*175*7.5*11*12000	18.522	38	1317.46
H beam	Q345E	H150*150*7*10*12000	6.297	17	1317.46

H beam	S235JR/S35 5JR	100*100*6*8	17.200	8	
H beam	S235JR/S35 5JR	125*125*6.5*9	23.800	8	
H beam	S235JR/S35 5JR	150*150*7*10	31.900	14	
H beam	S235JR/S35 5JR	175*175*7.5*10	40.300	12	
H beam	S235JR/S35 5JR	148*100*6*9	21.400	8	
H beam	S235JR/S35 5JR	194*150*6*9	31.200	5	
H beam	S235JR/S35 5JR	150*75*5*7		10	
H beam	S235JR/S35 5JR	175*90*5*8	18.200	12	
H beam	S235JR/S35 5JR	198*99*4.5*7	18.500	12	
H beam	S235JR/S35 5JR	200*100*5.5*8	21.700	4	
H beam	S235JR/S35 5JR	200*200*8*12	50.500	12	
H beam	S235JR/S35 5JR	200*204*12*12	56.700	12	
H beam	S235JR/S35 5JR	300*300*10*15	94.500	8	
H beam	S235JR/S35 5JR	390*300*10*16	107.000	8	
H beam	S235JR/S35 5JR	500*200*10*16	89.600	8	
H beam	S235JR/S35 5JR	440*300*11*18	124.000	8	
H beam	S235JR/S35 5JR	400*400*13*21	172.000	8	
H beam	S235JR/S35 5JR	482*300*11*15	115.000	14	
H beam	S235JR/S35 5JR	488*300*11*18	129.000	12	
H beam	S235JR/S35 5JR	582*300*12*17	137.000	8	
H beam	S235JR/S35 5JR	588*300*12*20	151.000	5	
H beam	S235JR/S35 5JR	596*199*10*15	95.100	10	
H beam	S235JR/S35 5JR	600*200*11*17	106.000	12	
H beam	S235JR/S35 5JR	340*250*9*14	79.700	12	
H beam	S235JR/S35 5JR	346*174*6*9	41.800	4	
H beam	S235JR/S35 5JR	346*174*6*9	41.800	12	
H beam	S235JR/S35 5JR	350*175*7*11	50.000	12	
H beam	S235JR/S35 5JR	396*199*7*11	56.700	6	

H beam	S235JR/S355JR	400*200*8*13	66.000	5	
H beam	S235JR/S355JR	446*199*8*12	66.700	5	
H beam	S235JR/S355JR	450*200*9*14	76.500	5	
H beam	S235JR/S355JR	496*199*9*14	79.500	5	
H beam	S235JR/S355JR	500*200*10*16	185.000	5	
H beam	S235JR/S355JR	700*300*13*24	210.000	5	
H beam	S235JR/S355JR	800*300*14*26	243.000	5	
H beam	S235JR/S355JR	900*300*16*28	82.200	5	
H beam	S235JR/S355JR	250*255*14*14		5	
H beam	S235JR	100*100*6*8 12m			377.78
H beam	S235JR	125*125*6.5*9 12m			377.78
H beam	S235JR	150*150*7*10 12m			373.02
H beam	S235JR	175*175*7.5*1 12m			384.13
H beam	S235JR	194*150*6*9 12m			376.19
H beam	S235JR	198*99*4.5*7 12m			371.43
H beam	S235JR	200*100*5.5*8 12m			369.84
H beam	S235JR	200*200*8*12 12m			380.95
H beam	S235JR	244*175*7*11 12m			384.13
H beam	S235JR	248*124*5*8 12m			374.6
H beam	S235JR	250*125*6*9 12m			379.37
H beam	S235JR	250*250*9*14 12m			387.3
H beam	S235JR	294*200*8*12 12m			379.37
H beam	S235JR	300*150*6.5*9 12m			368.25
H beam	S235JR	300*300*10*15 12m			384.13
H beam	S235JR	340*250*9*14 12m			376.19
H beam	S235JR	346*174*6*9 12m			376.19
H beam	S235JR	350*175*7*11 12m			376.19
H beam	S235JR	350*350*12*19 12m			398.41
H beam	S235JR	396*199*7*11 12m			382.54
H beam	S235JR	400*200*8*13 12m			382.54
H beam	S235JR	400*400*13*21 12m			406.35
H beam	S235JR	440*300*11*18 12m			382.54
H beam	S235JR	446*199*8*12 12m			377.78
H beam	S235JR	450*200*9*14 12m			377.78
H beam	S235JR	582*300*12*17 12m			392.06
H beam	S235JR	588*300*12*20 12m			392.06
H beam	S235JR	600*200*11*17 12m			379.37
H beam	S235JR	800*300*14*26 12m			387.3
Low alloy H beam	S355JR	200*100*5.5*8 12m			409.52
Low alloy H beam	S355JR	200*200*8*12 12m			382.54

Low alloy H beam	S355JR	250*250*9*14 12m			412.7
Low alloy H beam	S355JR	294*200*8*12 12m			414.29
Low alloy H beam	S355JR	300*150*6.5*9 12m			382.54
Low alloy H beam	S355JR	340*250*9*14 12m			382.54
Low alloy H beam	S355JR	350*175*7*11 12m			382.54
Low alloy H beam	S355JR	440*300*11*18 12m			393.65
Low alloy H beam	S355JR	600*200*11*17 12m			393.65
Channel steel	S235JR	10# 6m			396.83
Channel steel	S235JR	10# 9m			396.83
Channel steel	S235JR	12# 6m			380.95
Channel steel	S235JR	12# 9m			380.95
Channel steel	S235JR	14#A 6m			380.95
Channel steel	S235JR	14#A 9m			380.95
Channel steel	S235JR	14#B 8m			380.95
Channel steel	S235JR	14#B 9m			380.95
Channel steel	S235JR	16#A 9m			380.95
Channel steel	S235JR	18#A 9m			380.95
Channel steel	S235JR	18#B 8m			380.95
Channel steel	S235JR	18#B 9m			380.95
Channel steel	S235JR	20#A 12m			380.95
Channel steel	S235JR	20#A 8m			380.95
Channel steel	S235JR	20#A 9m			380.95
Channel steel	S235JR	20#B 12m			380.95
Channel steel	S235JR	20#B 9m			380.95
Channel steel	S235JR	28#A 12m			401.59
Channel steel	S235JR	28#B 12m			401.59
Channel steel	S235JR	28#C 12m			441.27
Channel steel	S235JR	30#A 12m			407.94
Channel steel	S235JR	30#B 9m			403.17
Channel steel	S235JR	30#C 12m			431.75
Channel steel	S235JR	32#A 12m			520.63
Channel steel	S235JR	32#B 12m			520.63
Channel steel	S235JR	5# 6m			396.83
Channel steel	S235JR	8# 6m			384.13
Low alloy channel steel	S355JR	10# 9m			461.9
Low alloy channel steel	S355JR	12# 9m			446.03
Low alloy channel steel	S355JR	14#A 9m			446.03
Low alloy channel steel	S355JR	14#B 9m			446.03
Low alloy channel steel	S355JR	16#A 9m			446.03

Low alloy channel steel	S355JR	16#B 8m			446.03
Low alloy channel steel	S355JR	16#B 9m			446.03
Low alloy channel steel	S355JR	18#A 8m			446.03
Low alloy channel steel	S355JR	18#A 9m			446.03
Low alloy channel steel	S355JR	20#B 9m			446.03
Low alloy channel steel	S355JR	25#A 12m			465.08
Low alloy channel steel	S355JR	25#B 12m			465.08
Low alloy channel steel	S355JR	28#A 12m			465.08
Low alloy channel steel	S355JR	28#B 12m			465.08
Low alloy channel steel	S355JR	40#B 12m			488.89