

HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33#BUILDING.ENTERPRISES HEADQUARTERS BASE,RUIDA ROAD,NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ,ZHENGZHOU CITY 450000, CHINA.



Email: bb@bebonchina.com Mobile: +86-13526723480

Phone: +86-371-86151627 Fax:+86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

1.0*1250*C 05CuPCrNi Bao steel 5800 orginal coil11.595balance5.41tons15.11.01
1.0*1250*C 05CuPCrNi Bao steel 5800 13.19 L2E0002608 2
1.2*1253*C B450NQ Bao steel 5800 orginal coil12.98 balancecoil9.6 2014.2.17 L3E0019
1.2*1250*C 05CuPCrNi Bao steel 5800orginal coil12.71约balance7.84.tons2015.1.6
1.2*1250*C 05CuPCrNi Bao steel 5800orginal coil14.03balance6.21tons 2014.12.02
1.5*1250*C 05CuPCrNiBao steel 4500 8.87+8.81+9.03 L5F0001502 12
1.5*1250*3000 05CuPCrNi Bao steel 5980orginal coil9.21balance2.16tons49.9pcs
1.5*1250*3000 05CuPCrNi Bao steel 5900 orginal coil7.79 balance2.52tons58.1pcs15.10.31
1.5*1300*3000 05CuPCrNiBao steelbalance coil55000.539 ()
1.6*1200*C 05CuPCrNi Bao steel 5500 8.12tons SS120267686
2.0*1250*C 05CuPCrNi Bao steel5800 13.545 L2E0011273 4
2.0*1250*C 05CuPCrNi Bao steel 5800 10.715 L1E0030407 12
2.0*1250*C 05CuPCrNiBao steel 5800 11.63 L2E0000140 1
2.5*1250*C B450NQ Bao steel 6600 6.695+6.695 L3E0016556
1.5*900*C 05CuPCrNi Bao steelbalance coil 5700 0.805PACKAGE113533804 SS120268987 2
1.5*900*C 05CuPCrNi Bao steelbalance coil 5700 0.510PACKAGE113533504+0.505PACKAGE11353
1.5*1000*C 05CuPCrNi Bao steelbalance coil 5700 0.510PACKAGE199552904 SS120268973 2
1.5*1000*C 05CuPCrNi Bao steelbalance coil 5700 0.815PACKAGE190184301 SS120483291 2
1.5*1300*2000 05CuPCrNi Bao steelbalance coil 5800 0.46tons (14pcs) 2014.10.25 L2E0003829
1.5*1080*C 05CuPCrNi Bao steelbalance coil5900 1.125PACKAGE 547497804
1.5*1250*1910 05CuPCrNi Bao steelbalance coil 5800 1.035tons 3 7pcs
1.5*1300*C 05CuPCrNi Bao steelbalance coil 5800 0.800PACKAGE190186601 SS120483395 2
1.5*1300*C 05CuPCrNi Bao steelbalance coil 5800 0.560PACKAGE199988405 SS120377253 2
1.5*1300*C 05CuPCrNi Bao steelbalance coil 5800
1.5*1030*C 05CuPCrNi Bao steelbalance coil 5800 0.685PACKAGE112828301+0.505PACKAGE1128
1.6*1200*C 05CuPCrNi Bao steelbalance coil6000 8.12 balance coilSS120267686
2.0*1250*C 05CuPCrNi Bao steelbalance coil 5800 0.71 SS120268974
2.0*1250*C 05CuPCrNi Bao steelbalance coil 6000 3.37 SS120267684
2.0*1250*C 05CuPCrNi Bao steelbalance coil 6000 1.03+1.36 SS120267713
2*1500*2964 05CuPCrNiBao steelsheet6200 3.908*2package 3.908tonsSS120373858
2*1500*2964 05CuPCrNiBao steelsheet6200 3.21negotiable SS120373440
2*1500*2964 05CuPCrNiBao steelsheet6200 3.908 SS120373439
2*1500*2964 05CuPCrNiBao steelsheet6200 4.048+2.792negotiable SS120372928
2.0*1250*2500 05CuPCrNiBao steelsheet6200 1.373 SS120376304
2.0*1250*2500 05CuPCrNiBao steelsheet6200 3.679分 SS120270624
2.0*1250*2500 05CuPCrNiBao steelsheet6200 4.268 SS120375902
2.0*1500*2470 05CuPCrNiBao steelsheet6200 4.246+3.78+3.431+4.071
2.0*1500*2470 05CuPCrNiBao steelsheet6200 1.803 SS120268504
2.0*1500*2470 05CuPCrNiBao steelsheet6200 1.337 SS120268503
2.0*1250*C 05CuPCrNi Bao steelbalance coil5800 0.700 PACKAGE113534504 SS120482807 2
2.0*1250*C 05CuPCrNiBao steelbalance coil 5800 0.705 PACKAGE117029805 SS120483291 2
2.0*1250*C 05CuPCrNi Bao steelbalance coil 6000 2.065PACKAGE116789501 SS120483291 2
2.0*1250*C 05CuPCrNi Bao steelbalance coil 6000 1.305 PACKAGE199438804+0.72 PACKAGE1994

2.5*1080*C 30CrMo Bao steel 5600 22.019 (20) I1E0037071
 3.0*1080*C 30CrMo Bao steel 5550 17.53 I4F0001326
 3.0*1080*C 30CrMo Bao steel 5600 17.435 I5D0000527
 3.2*1295*C 30CrMo Bao steel 5600 original coil 26.28 balance 20 tons 15.11.19 I4F0001080
 3.2*1295*C 30CrMo Bao steel 5600 24.84 I4F0001080
 3.5*1295*C 30CrMo Bao steel 5600 28.74+original coil 28.64 balance 16.84 tons
 4.0*1295*C 30CrMo Bao steel 5600 21.23+20.2+21.3 I4F0001081
 5.0*1295*6000 30CrMo Bao steel 5600 original coil 21.26 balance 3.69 tons 12 pcs*2 package+
 5.0*1295*C 30CrMo Bao steel 5600 21.14 I4F0001082
 6.0*1500*6000 BS700MCK2 5500 4.239*3+4.663*3 +3.815 I3F0001091
 6.0*1500*3000 BS700MCK2 5500 4.663+4.451 I4E0008419
 10.*1500*8000 BS700MCK2 6400 4.71 tons*3 package+2.826 I4E0003775
 3.0*1280*6000 09CrCuSb bao steel 5300 original coil 20.25 balance 2014.2.20
 1.5*1250*C 09CrCuSb angang 4500 15.85+original coil 15.79 balance 12.9 tons 15.11.04
 1.6*1250*C 09CrCuSb angang 4450 15.81
 2.0*1250*C 09CrCuSb angang 4300 15.86+15.89+15.84
 2.5*1235*C 09CrCuSb angang 4200 original coil 15.5 balance 9.22 tons 15.11.46
 2.5*1235*C 09CrCuSb angang 4200 15.31+15.45+15.46
 3.0*1500*C 09CrCuSb angang 4000 original coil 25.21 balance 20.32
 3.0*1500*C 09CrCuSb angang 4000 24.87+25.27+25.36
 3.0*1500*C 09CrCuSb bao steel 4500 original coil 25.01 balance coil 14.46 tons 14.6.9 I4E0010631
 3.0*1500*C 09CrCuSb bao steel 4500 18.15 I4E0010631
 3.0*1500*6000 09CrCuSb angang 4200 original coil 25.47 balance 2.051 tons 10 pcs 14.7.5
 3.0*1500*6000 09CrCuSb bao steel 4600 original coil 25.01 tons balance 3.159 tons 15 pcs I4E0010631
 3.0*1500*6000 09CrCuSb bao steel 4600 original coil 21.95 tons 2.542 tons 12 pcs
 4.0*1500*C 09CrCuSb angang 4000 26.2
 4.0*1280*6000 09CrCuSb bao steel 4600 original coil 15.68 balance 0.202 tons 1 pcs NJ120500189
 4.0*1280*6000 09CrCuSb bao steel 4600 original coil 15.68 0.195 tons 4.8 meter+0.1 meter) 2013.1.18
 4.0*1500*6000 09CrCuSb angang 4200 original coil 21.24 balance 6.095 tons 21 pcs+7.55 tons 26 pcs
 5.0*1500*C 09CrCuSb angang 4000 25.75
 5.0*1500*6000 09CrCuSb bao steel 4600 original coil 22.96 约 balance 3.882 tons 11 pcs*2 package
 14.12.19 苏 I4F0001132
 5.0*1500*6000 09CrCuSb angang 4200 original coil 21.32 balance 0.057 tons 0.95 meter
 5.0*1500*6000 09CrCuSb angang 4200 original coil 21.24 balance 0.17 tons 2.9 meter 2014.5.27
 6.0*1500*C 09CrCuSb bao steel 4000 23.55+23.32+14.08 I5F0001027 11
 6.0*1500*6000 09CrCuSb Bao steel 4600 original coil 24.29 balance 4.64 tons 11 pcs
 6.0*1500*6000 09CrCuSb bao steel 4400 original coil 24.38 balance 4.22 tons 10 pcs+
 10*1500*6000 09CrCuSb angang 4200 original coil 21.36 balance 3.6 tons
 10*1500*1950 09CrCuSb angang 4200 0.234 tons
 10*1500*6000 09CrCuSb angang 4200 original coil 25.69 balance 6 pcs 4.228*5 package+2 pcs 1.408 tons
 10*1500*6000 09CrCuSb angang 4200 original coil 25.6 balance 5 pcs 3.516 tons+4 pcs 2.813 tons
 10*1500*C 09CrCuSb angang 4000 25.69+25.6
 10*1500*6000 09CrCuSb angang 4400 original coil 25.93 balance 17.13 tons balance 9 tons 15.7.8
 12*1500*6000 09CrCuSb angang 4200 original coil 25.81 balance 5.09 tons 6 pcs 2015.3.3
 12*1500*8000 09CrCuSb angang 4200 original coil 25.57 tons balance 4.53 tons 4 pcs*2 package+
 12*1500*C 09CrCuSb angang 4000 25.57
 12*1500*6000 09CrCuSb angang 4200 4.26 tons 5 pcs
 12*1500*6000 09CrCuSb bao steel 4600 original coil 22.64 balance 5.069 tons 6 pcs 13.8.13 I3E0009148
 14*1500*6000 09CrCuSb bao steel 4700 original coil 23.83 tons 1.972 tons 2 pcs 2014.6.17
 2013.6.9 I3E0009147
 14*1500*6000 09CrCuSb angang 4300 original coil 28.48 balance 5 pcs 4.97 tons+0.02 tons 0.02 meter

14*1500*8000 09CrCuSbangang 4100 orginal coil25.51balance5.27tons4pcs*2package+4.5meter0.74t
 14*1500*6000 09CrCuSb angang4300orginal coil21.02tonsbalance4.96*2package+5.15tons14.4.17
 14*1500*C 09CrCuSb bao steel 4500 24.22 I3E0009147
 14*1500*C 09CrCuSb angang 4200 20.95tons
 16*1500C 09CrCuSbangang 4200 25.58
 16*1500*600009CrCuSbangang4300 orginal coil28.62balance1.14tons1pcs+0.27tons1.6meter
 16*1500*800009CrCuSbbao steel47000orginal coil28.41tonsbalance4.502tons3pcs14.8.7 I4E0010851
 16*1500*C 09CrCuSb angang 4100 26.85tons
 18*2000*7450 09CrCuSbangang 5200 2.105 cutting edge
 18*2000*7750 09CrCuSbangang 5200 2.19 cutting edge
 18*2000*8000 09CrCuSbangang 5200 2.261 cutting edge
 20*2000*8000 09CrCuSbangang 5500 2.512*2pcs
 20*1700*6100 09CrCuSbangang 5500 1.628 cutting edge
 14*1600*4000 St52-3 Bao steel 3500 0.69
 1.6*1175*CB480GNQR bao steel3600orginal coil17.54balance14.1tonsBX14.10.22方I4I0001149
 1.6*1185*C B480GNQR bao steel 3600 7.28 BQ I4I0001110
 1.59*1155*3000 B480GNQR bao steel 3500orginal coil17.93balance3.02tons14.4.4 I1I0002871
 1.6*1175*3000 B480GNQR 3500orginal coil16.57balance0.1tons2.5pcs4.4.3 I0002524
 2.0*950*3000B480GNQR Bao steel 3500 orginal coil12.88tonsbalance3.659tons85pcs2013.9.24
 2.0*1215*2000 B480GNQR Bao steel 3500 orginal coil7.15tons balance2.211tons60pcs+2.433tons66pcs
 2.0*1219*C B480GNQR Bao steel 3400 11.55+11.62 I3I0001012
 2.3*1180*4130 SPA-H 3200 2.713*4package2011.11.05
 3.0*1500*3500 B480GNQR Bao steel 3600 orginal coil11.37balance1.34tons (11pcs) 2013.8.31
 3.0*1500*6000 B480GNQR bao steel 3600 orginal coil11.62balance0.108tons3.2meter) + (3.448
 (17) 2013.4.24 I3I0000893
 3.0*1500*6000 B480GNQR 3600 11.37 1.672 (8sheet) +6.686 (32sheet)
 3.0*1500*6000 B480GNQR Bao steel 3600 3.448tons
 3.0*1250*C B480GNQR Bao steel 3500orginal19.82balance14.05tons14.7.10 I4I0000903
 4.0*1250*6000 B480GNQRbao steel3600orginal16.96balance0.348 (1.4sheet) I3I0001001
 4.0*1400*6000 B480GNQR—厂3600orginal4.85balance0.505 (2sheet13.6.17+4.72
 4.0*1250*C B480GNQR Bao steel 350021.64 I3I0001001
 4.0*1250*C B480GNQR Bao steel 3500 18.96 I4I0000391
 4.43*1500*C B480GNQR bao steel3400orginal26.42negotiablebalance16.7tons15.03.03来I4I0000431
 5.0*1500*6000 B480GNQR bao steel 3600 orginal12.74 balance 0.12tons2.05meter 2013.12.13
 6.0*1500*6000 B489GNQRbao steel 3600 3.203tons
 8.0*1500*C B480GNQR Bao steel 3500 25.09 BXNQ I4I0001413
 8.0*1500*C SPA-H XingYu 3400orginal26.94balance18.14tons2014.11.07
 10*1500*C SPA-H XingYu 3400 27.31
 12.*1500*6000 SPA-H XingYu 3500 orginal27 . 26 balance 3.381 tons 4 sheet*2package + 0.212 tons
 1.5 meter 2013.11.12
 14.*1500*C SPA-H XingYu 3400 27.65+26.6
 16.*1500*C SPA-H XingYu 3400 26.66+26.52
 1.5*1250*4000 Corten ABao steel 4500 orginal10.35balance 3.093tons52sheet*2package+2.855tons48s
 1.5*1250*C Corten ABao steel 4300 10.67 I5F0000716
 2.0*1250*3000Corten ABao steel 4200 4.39+4.45+4.22+4.28 I5F0000710
 2.0*1250*3000 Corten ABao steel 4000 12.94balance0.24tons4sheet+0.05tons2.49meter+0.38meter
 2.0*1000*C Corten Awugang 4000 orginal11.48balance7.48tons14.7.10
 2.03*1433*C 0355NH Bao steel 3900 4.16tons I2E0034269
 2.0*1250*3000 Corten ABao steel4100 orginal7.12balance1.183tons20sheet+0.027tons
 2.0*1250*2500 Corten ABao steel 4100 (7sheet) 0.346
 2.0*1250*2180 Corten ABao steel 4100 0.04tons

2.0*1250*3000 Corten A 5000original4.025balance3.792tons15.6.11 I4F0000983
 2.5*1250*C Corten ABao steel 3800 12.12+11.73 I5F0000054
 2.5*980*C Corten ABao steel 3700 12.93 BXY I2E0009110 3
 2.5*1000*C Corten ABao steel 3800 11.72 I2E0007321
 2.5*1250*C Corten ABao steel 3800 original12.25tonsbalance约10tons
 2.5*1250*C Corten Awugang 3800 20.19
 3.0*1250*3000 Corten ABao steel4000 original10.64balance0.61 (7sheet) 2013.12.12
 3.0*1250*3000Corten ABao steel 4000 original9.16tons2.49meter+0.2meter=0.09tons)
 3.0*1250*3000 Corten ABao steel 4000 original10.64balance1.163tons13sheet15.11.25
 3.0*1250*C Corten ABao steel 3800 10.75+9.29+9.62 I4F0001130
 3.0*1250*C Corten ABao steel 3800 8.85+9.05+9.05+8.41+8.91+8.19+8.12+8.91
 8.38+9.07+8.15+8.63+11.83+original10.49balance7.52tons15.11.08 I5F0000539 6
 3.0*1250*C Corten ABao steel 3800 8.34real weight8.82tons+9.05real weight9.54tons
 3.0*1250*3000Corten ABao steel 4200 4.93+4.93+4.765+4.23+4.93+4.435+4.8
 3.0*1250*3000Corten A 4200 3.565tons I5F0000026
 3.0*1250*3000 Corten ABao steel 4200 4.475+4.705
 3.0*1500*6000 Corten ABao steel 4200 4.285+4.28+4.28+4.29+4.925
 3.0*1500*6000 Corten ABao steel 4200 3.86+4.52+4.295+3.865+4.285+3.64+3.88
 3.0*1500*6000 Corten ABao steel 4200 4.685 I4F0001128
 3.0*1500*C Corten Arizhao steel 3600 29.08tons
 3.0*1500*6000Corten ABao steel 4000original10.58balance4.49tons21sheet+2.54meter0.09tons
 3.0*1500*C Corten ABao steel 3800 8.91+9.35+9.29+10.1+10.06+9.84+8.89
 3.0*1250*3000 Corten A 4000 4.79 I4F0000987
 3.0*1250*9000 Corten ABao steelsheet 4200 5.88 I4E0019608
 3.0*1250*3000Corten A 42004.425+4.415+4.59+4.68+4.765I4F0000935
 3.0*1250*3000Corten A 4200 4.43+4.425+4.435+3.3+4.25 I4F0000937
 3.0*1250*3000Corten A 4200 4.795+4.795+4.01 I4F0000936
 3.0*1500*C Corten Arizhao steel 3600 29.08+original28.905balance15.4tons
 3.0*1050*3000 Corten ABao steel 3700original24.176balance4.496tons60sheet+
 3.0*1050*3000 Corten ABao steel 3700 original24.3balance2.594tons35sheet*6package+1.63tons22she
 3.0*1160*C Corten ABao steel 3700 20.02+24.83
 3.0*1250*3000 Corten A 4000 4.735+4.73+4.735
 4.0*1500*6000 Corten ABao steel4000 originalcoil11.22balance 1.716tons (6sheet)
 4.0*1500*6000 Corten ABao steel4000 original11.55tonsbalance0.2 (4.3meter) I2E0001321 2012.9.2
 4.0*1524*6000 Corten ABao steel 4000original13.08balance1.6meter0.07tons+2.1meter0.1tons 2013.8
 .25 I3E0016137
 4.0*1500*6000Corten Arizhao steel 3800 original28.855balance2.48tons9sheet
 4.0*1500*6000 Corten ABao steel3800 originalcoil11.22
 4.0*1500*6000 Corten ABao steel 3800 original10.53balance
 4.0*1800*6000Corten Awugang 4000 original24.77约balance1.47tons4sheet+1.9meter0.1tons
 4.8*1200*6000 09CuP wugang 3800 3.009*2package (11sheet) =6.018tons+
 5.0*1695*6000 Corten ABao steel 4000 originalcoil31.64balance0.8 2sheet
 5.0*1800*6000 Corten Awugang4000 original29.29balance0.43tons1sheet
 5.0*1500*6000 Corten ABao steel 4000 original11.31balance0.059+1meter
 5.0*1500*6000 Corten Arizhao steel 3800 original29.205balance3.438tons10sheet*3package+
 5.0*1500*C Corten Arizhao steel 3600 29.19+29.205
 5.0*1810*6000 Corten Arizhao steel3800 original32.365balance coil27.86tons2014.5.20
 5.0*1810*6000 Corten Arizhao steel 3800original31.91balance3.75tons9sheet*3package
 5.01tons12sheet+0.07tons1meter 201.9.2
 5.0*1810*6000 Corten Arizhao steel3800original32.25balance1.67tons4sheet
 5.0*1500*6000 Corten A 4000 original7.19balance0.1tons1.7meter

5.0*1500*6000 Corten A 4000original12.2balance4.18tons12sheet+
 5.0*1805*C Corten ABao steel 3800 19.8+original19.67balance13.94tons15.5.21
 5.0*1800*C Corten ABao steel3800 19.89+19.86+19.91+19.75 15F0000711
 5.0*1500*C Corten ABao steel3800 12.72+12.95+18.1 15F0000536 6
 5.0*1000*C Corten ABao steel 3800 6.34tons I2E0020124
 5.0*1500*C Q355NH Bao steel 3800 11.7 I1E0018218
 6.0*1800*6000 Corten ABao steel4000 original13.33balance0.21tons2.5meter
 6.0*1250*6500sheetCorten ABao steel 4000 4.975tons I1E0023875
 6.0*1250*6000 Corten ABao steel 4000 original19.64balance9.6tons27sheet+4.5meter0.26tons
 6.0*1800*C Corten ABao steel 3800 15.94+15.81+15.9 15F0000712
 6.0*1800*6000 Corten ABao steel 4000 original21.105tons 1.2meter0.1tons
 6.0*1800*6000 Corten Awugang 4000 original25.24tonsbalance0.05tons0.8meter+0.01tons0.1meter
 6.0*1500*L Corten A Bao steel 4000 1.9meter0.19tons I3E016102
 6.0*1500*6000 Corten A bao steel 4000 original12.84 balance0.252tons3.6meter2014.2.20
 6.0*1500*6000 Corten Arizhao steel 3800 original24.105balance3.76tons9sheet2014.5.12
 6.0*1500*6000 Corten Arizhao steel 3800 original31.76balance coil14.46tonsbalance3.35tons8sheet
 6.0*1800*C Corten ABao steel 3800 80tons 15F0001188 12
 6.0*1450*C Corten ABao steel 3800 original29.13balance19.11tons2013.6.7 I2E0000078
 6.0*1355*C Corten ABao steel 3800 31.23tons I1E0036974
 6.0*1250*C Corten Abao steel 3800originalcoil24.54balancecoil18.72tons
 6.0*1500*6000 Corten Abao steel 4100 original13.18 balance6.25tons15.9.16
 7.0*1380*6500 Corten A bao steel 4200 6.901 (14sheet) sheetbalance13sheet6.408tons
 7.0*1500*6000 Corten Awugang4200original12.49balance3.97 (8sheet) +0.08tons (0.8meter)
 7.0*1800*6000 Corten Abao steel4200 original29.38balance4.11tons7sheet*2package+3.52tons6sheet
 7.0*1800*8000 Corten Awugang 4200 original27.19balance7.94tons10sheet+3.97tons5sheet
 7.0*1500*C Corten Abao steel4000 7.76+8.11+7.64+12.66 I1E0032754 3
 7.0*1500*C Corten Awugang4000 12.66 3
 8.0*1500*6000 sheet09CuPwugang 3800 7.348*2package+2.26tons4sheet
 8.0*1800*6000 Corten A bao steel4000original29.42balance
 8.0*1800*100 Corten A bao steel 4000original31.22balance0.01tons I2E0011737 3
 8.0*1800*6000 Corten Abao steel4000original33.62balance0.443tons4meter 2013.10.22
 8.0*1500*6000 Corten Arizhao steel 3800 original28.76balance
 0.39tons4.2meter 2013.10.29
 8.0*1500*6000 Corten Arizhao steel 3800original29.08balance1.11tons2sheet苏拆+3.884tons7sheet
 8.0*1500*6000 Corten Arizhao steel 3800 original28.98tonsbalance
 0.083tons0.9meter+0.009+0.01+0.01+0.038tons0.4meter+0.083tons+0.9meter 2014.11.07
 8.0*1800*6000Corten Arizhao steel3800 original31.29balance5.315tons8sheet
 8.0*1500*6000 Corten A bao steel 4000 original22.44balance3.31tons6sheet*3package
 8.0*1800*6000 Corten Arizhao steel 3800 original32.585balance5.35tons8sheet*4package+
 0.03+0.575tons5meter 2014.4.8
 8.0*1800*C Corten Arizhao steel 3600 31.86
 8.0*1800*C Corten Arizhao steel 3600original31.895balance coil10.32tons214.11.04
 10*1215*6000 Corten Abao steel4000original19.52balance0.26tons2.75meter+
 0.01meter0.009tons2012.8.24 I2E0024144
 10*1800*6000 Corten Awugang4000original9.72balance2012.4.16
 0.05tons0.35meter) 2013.01.07.
 10*1800*3100 Corten A bao steel4000original30.22balance3.1meter0.43tons
 2011.12.25 平 I1E0038294
 10*1800*6000 Corten Abao steel 4000 original27.545
 8.322tons (10sheet) I3E0011344
 10*1800*6000 Corten Arizhao steel 3800 original32.55balance4.19tons5sheet*4package

2014.4.11

10*1800*6000 Corten Arizhao steel3800original32.465tonsbalance
+0.015+0.014+0.018+0.139 2014.9.16

10*1500*C Corten Awugang 3800 25.58

10*1500*C Corten Arizhao steel3600 original29.2balance coil10.92tons2014.7.8

12*1500*C Corten Abao steel3900 24.26+24.28+24.1+23.88 I5F0000624 7

12*1800*C Corten Abao steel3900 15.735+15.5+29.85 I5F0000622 7

12*1500*6000sheetCorten Abao steel4100 original8.478balance1.695tons2sheet12.30苏拆11E0029829

12*1800*6000 Corten Awugang4100original9.33balance3.07tons12.7.18

12*1800*4650 Corten Awugang4100 original9.33balance0.793tons1sheet12.7.18方

12*1800*6000 Corten Awugang 4100 original25.23balance2.05tons2012.9.4苏拆

2.056+ (4.1tons+0.07tons0.5meter2012.8.9.

2015.12.02.

12*1800*8000 Corten Awugang4100 original25.35balance0.793tons4.65meter

2013.8.23

12*1800*6000 Corten Awugang 4100 original9.64balance5.88tons5sheet+4.4meter

2013.12.24

12*1800*6000Corten Awugang 4100original9.73balance5.11tons5sheet+0.08tons0.45meter

12*1500*6000Corten Awugang 4100 original10.79balance1.7tons2sheet+

2meter0.28tons+0.1meter0.01tons2014.7.10

12*1500*C Corten Awugang 3900 27.65 +27.2+27.97+28.01

12*1800*C Corten Arizhao steel 3700 32.185

12*1800*C Corten Arizhao steel 3700 32.15

12*1800*C Corten Awugang 3900 9.87

12*1800*6000Corten Arizhao steel 3900original31.25balance4.006tons4sheet2014.6.11

12*1800*8000 Corten Arizhao steel3900original31.895tonsbalance5.425tons4sheet+

0.534tons3.15meter 2014.11.26

12*1800*6000Corten Arizhao steel 3900original31.625tonsbalance

12*1800*6000Corten Arizhao steel 3900original31.745balance5.11tons5sheet

14*1800*6000 Corten Arizhao steel 4000original32.555balance4.67tons4sheet

2014.5.16

14*1800*6000 Corten Arizhao steel 4000 original32.09balance4.65tons4sheet*2package+

14*1800*C Corten Arizhao steel3900 32.15

14*1800*8000sheetCorten A bao steel4200 4.747 +6.16 I2E0004779

14*1500*C Corten Abao steel4000 25.94 I5F0000633 7

14*1500*6000 Corten Abao steel4100original24.72balance10tons 15.9.01

14*1500*6000 Corten Abao steel 4100 original29.24balance4.903tons5sheet*5package

+0.016tons0.1meter2013.12.09 I3E0007345

14*1500*6000 Corten Abao steel 4100original29.46tonsbalance4.918tons5sheet+0.334tons2.1meter

16*1500*6000Corten Arizhao steel 3900original28.815 balance5.55tons5sheet+2.22tons2sheet9.8

16*1500*C Corten Arizhao steel 3800 28.345

16*1800*6000 Corten Arizhao steel 4000 original32.49balance1.338tons1sheet+0.11tons0.5meter

2014.10.21

16*1800*8000*CCorten Abao steel4200 3.617tons*8package I5F0000635 7

18*1800*8000*CCorten Abao steel4200 4.069*7package I5F0000708

20*1800*C Corten Arizhao steel4000 32.4+32.18+31.92+32.465+32.31

20*1800*8000 Corten Abao steel4200 4.522*12package I5F0000707

2015.12.02.

20*1800*8000 Corten Abao steel4200 4.522*8package I5F0000455

4.0*1150*C Q550NH bao steel 3800original19.65balance coil6.95tons2013.8.24

4.0*1500*C Q550NQR1 bao steel 3800 28.354+28.49 I0E0003169

4.02*940*C Q450NQR1 bao steel 3800 6.54 I9E0019788
 7.0*1380*6500sheetQ450NQR1 bao steel 3800 6.901tons14sheet I9E0020437
 8.0*1330*8000 Q450NQR1 wugang 3800 1.346 (2sheet)
 10*1595*6000 Q450NQR1 bao steel 4200 original30.86balance4.45tons+
 (3.71tons+0.43tons3.8meter) 2012.2.16 I1E0011767
 12*1500*8000 sheetQ550NQR 1bao steel 4000 7.913*2 I0E0004809
 12*1800*6000 Q450NQR1 bao steel 4000 original27.47tons4.02tons4sheet*4package

 12*1500*C Q450NQR1 bao steel 3800 29.9 I1E0037258
 12*1800*6000Corten Arizhao steel 4400original31.625tonsbalance4.99tons5sheet+
 14*1460**8000Q450NQR1bao steel 4000original26.460balance2.52tons2sheet+1.22tons板头7.7meter
 14*1650*6000sheetQ450NQR1bao steel 4200 7.616 I3E0008675
 14*1460*C Q450NQR1bao steel 4000 29.1 I2E0008392
 14*1615*6000 Q450NQR1 bao steel4100 original32.72balance6.32tons6sheet*2package+7.37tons7sheet
 0.3meter0.05tons 2013.8.19 I0E0027346
 14*1500*L开sheetQ450NQR1bao steel 4000 0.9meter (0.14tons) +3.2meter(0.52tons)
 15.5*1500*8000sheetQ450NQR1wugang 4400 8.761+8.761+4.38
 16*1800*9000 sheetQ450NQR1bao steel 4600 4.069*14package

 20*1100*5700 sheetQ460NH bao steel 4200 6.891+3.938+7.875 I2E0033500
 10*1800*8000 Corten Awugang5100balance3.41tons3sheet+0.07tons0.5meter
 +0.01tons0.1meter
 12*1500*C 09CrCuSb angang 4900 20.99+21
 14*1500*600009CrCuSb bao steel5400 original23.83tons0.161tons0.98meter) 2013.6.9 I3E0009147
 1.59*1155*3000 B480GNQR bao steel 4800original17.93balance3.02tons14.4.4 I1I0002871
 1.6*1175*3000 B480GNQR 4800original16.57balance0.1tons2.5sheet4.4.3 I0002524
 2.0*1000*C Corten Awugang 4600 original11.48balance7.48tons14.7.10
 14*1500*6000 09CrCuSb angang 5000original21.02tonsbalance4.96*2package+5.15tons14.4.17
 8.0*1500*6000 Corten Arizhao steel 4600 original28.79balance3.83tons6sheet+5.2meter+0.3meter 2013
 10*1500*C Corten Arizhao steel4500 original29.2balance coil10.92tons2014.7.8
 12*1800*6000 Corten Awugang 4800 original9.64balance5.88tons5sheet+4.4meter
 2013.12.24
 15.5*1500*8000sheetQ450NQR1wugang 5000 8.761+8.761+4.38

Note: Above price is base on EX-WORK