

## HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33#BUILDING.ENTERPRISES HEADQUARTERS BASE,RUIDA ROAD,NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ,ZHENGZHOU CITY 450000, CHINA.



Email: [bb@bebonchina.com](mailto:bb@bebonchina.com) Mobile: +86-15737657202

Phone: +86-371-86151627 Fax: +86-371-86011881

Web: [www.bebonchina.com](http://www.bebonchina.com), [www.steel-plate-sheet.com](http://www.steel-plate-sheet.com)

Grade	Specification(mm)	EX-WORK (USD/MT)
180BH	1.3*1150*C	732.353
B170P	0.7*1420*C	727.941
BH340	0.7*1363*C	710.294
BH340	0.85*1760*C	702.941
BH340	0.85*1765*C	702.941
BH340	1.5*1920*C	710.294
BH340	1.5*1925*C	710.294
BH340	2*1900*C	710.294
BH340	2*1925*C	710.294
BH340	2*1930*C	710.294
DC01	0.6*1000*C	705.882
DC01	0.6*1100*C	691.176
DC01	0.6*1940*C	691.176
DC01	0.7*1000*C	698.529
DC01	0.7*1135*C	691.176
DC01	0.7*1330*C	691.176
DC01	0.8*1250*C	691.176
DC01	0.8*1300*C	698.529
DC01	0.8*1450*C	698.529
DC01	0.8*1630*C	647.059
DC01	0.8*850*C	683.824
DC01	0.85*1760*C	676.471
DC01	0.9*1250*C	676.471
DC01	0.98*1500*C	691.176
DC01	1*1250*C	669.118
DC01	1*2120*C	654.412
DC01	1*975*C	661.765
DC01	1.2*1100*C	683.824
DC01	1.2*1250*C	683.824
DC01	1.2*1380*C	691.176
DC01	1.4*1000*C	676.471
DC01	1.45*1250*C	661.765
DC01	1.5*1075*C	661.765
DC01	1.5*1100*C	661.765
DC01	1.5*1180*C	661.765
DC01	1.5*1250*C	661.765
DC01	1.5*1450*C	661.765
DC01	1.5*1550*C	661.765
DC01	1.5*1900*C	654.412
DC01	1.6*1170*C	691.176
DC01	1.7*1925*C	654.412
DC01	1.8*1250*C	654.412
DC01	1.8*1900*C	639.706
DC01	1.95*1250*C	654.412
DC01	2*1250*C	661.765
DC01	2*1490*C	676.471

DC01	2*1920*C	654.412
DC01	2.0*1320*C	661.765
DC03	0.6*920*C	725.000
DC03	0.63*1350*C	720.588
DC03	0.9*1000*C	727.941
DC03	1*1500*C	705.882
DC03	1.2*1250*C	713.235
DC03	1.45*1250*C	705.882
DC03	1.8*1250*C	705.882
DC03	2*1250*C	705.882
DC03	2*1490*C	705.882
DC03	2*930*C	705.882
DC04	0.9*1620*C	735.294
DC04	1*1050*C	735.294
DC04	2*1000*C	735.294
DC04	2*1443*C	735.294
Q235B	1*1250*C	735.294
Q235B	1.0*1250*C	735.294
Q235B	1.2*1250*C	750.000
Q235B	1.5*1250*C	750.000
Q235B	1.6*1250*C	735.294
Q235B	2*1250*C	720.588
Q235B	2.0*1250*C	720.588
SPCC	0.8*1184*C	698.529
SPCC	0.8*1250*C	698.529
SPCC	0.9*1250*C	676.471
SPCC	1*1219*C	691.176
SPCC	1*1250*C	669.118
SPCC	1*900*C	669.118
SPCC	1*920*C	669.118
SPCC	1.2*1110*C	691.176
SPCC	1.2*1219*C	683.824
SPCC	1.2*1250*C	691.176
SPCC	1.45*1250*C	669.118
SPCC	1.5*1250*C	661.765
SPCC	1.6*1250*C	691.176
SPCC	1.6*1500*C	695.588
SPCC	2*1250*C	676.471
SPCC	2*1636*C	676.471
SPCC-SD	0.67*1250*C	694.118
SPCC-SD	0.94*1219*C	680.882
SPCC-SD	0.95*1219*C	680.882
SPCC-SD	1*1219*C	680.882
SPCC-SD	1.15*1219*C	680.882
SPCC-SD	1.18*1219*C	691.176
SPCC-SD	2.3*1219*C	698.529
SPCD	0.58*1200*C	705.882
SPCD	0.8*1250*C	727.941
DP440	0.8*1300*C	739.706
DP440	1*1300*C	739.706
220BH	1.3*1150*C	710.294
300BH	0.8*1250*C	717.647
SPFC390	0.7*1200*C	717.647
St13	1.2*1000*C	720.588

H180	0.7*1355*C	710.294
H180	0.7*1700*C	695.588
PHS1500	1.7*1280*C	701.471
140BH	1.2*1450*C	702.941
300/500DP	1.45*1250*C	757.353
DC01	0.4*1000*C	663.235
DC01	0.6*1250*2500	676.471
DC01	0.7*1250*2500	669.118
DC01	0.8*1250*2500	661.765
DC01	0.85*1219*C	617.647
DC01	0.85*1760*C	617.647
DC01	0.85*1765*C	617.647
DC01	0.9*1250*2500	647.059
DC01	1*1250*2500	632.353
DC01	1.2*1250*2500	625.000
DC01	1.4*1250*2500	625.000
DC01	1.5*1250*2500	625.000
DC01	1.6*1250*2500	625.000
DC01	1.8*1250*2500	625.000
DC01	1.95*1250*2500	625.000
DC01	2*1250*2500	625.000
DC01	2.2*1250*2500	676.471
DC01	2.3*1250*2500	676.471
DC01	2.5*1250*2500	676.471