

HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 33#BUILDING. ENTERPRISES HEADQUARTERS BASE, RUIDA ROAD, NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ,ZHENGZHOU CITY 450000, CHINA.



Email: bb@bebonchina.com Mobile: +86-15737657202

Phone: +86-371-86151627 Fax: +86-371-86011881

Upgrading Our Brand Image from BEBON to BBN

Web: www.bebonchina.com, www.steel-plate-sheet.com

Grade	Specification(mm)	Weight(mt)	EX-WORK (USD/MT)
SPCC	0.2*930*C	7.36	879.71
SPCC	0.2*930*C	7.27	879.71
SPCC	0.2*930*C	7.02	879.71
SPCC	0.2*930*C	7.852	876.79
SPCC	0.2*930*C	6.96	879.71
SPCC	0.2*930*C	6.74	876.79
SPCC	0.2*930*C	7.4	879.71
SPCC	0.2*930*C	6.77	876.79
SPCC	0.2*930*C	6.124	881.17
SPCC	0.2*930*C	6.387	881.17
SPCC	0.2*930*C	7.68	881.17
SPCC	0.2*930*C	7.495	881.17
SPCC	0.2*930*C	6.636	881.17
SPCC	0.2*930*C	7.05	881.17
SPCC	0.2*930*C	6.06	881.17
SPCC	0.2*930*C	7.439	881.17
SPCC	0.23*1020*C	6.9	859.27
SPCC	0.23*1020*C	7.11	859.27
SPCC	0.23*1020*C	6.41	859.27
SPCC	0.23*1020*C	7.041	859.27
SPCC	0.23*1020*C	9.38	857.81
SPCC	0.23*1020*C	6.26	857.81
SPCC	0.23*1020*C	6.45	857.81
SPCC	0.23*1020*C	6.41	857.81
SPCC	0.23*1020*C	7.28	857.81
SPCC	0.23*1020*C	7.3	857.81
SPCC	0.23*1020*C	7.12	857.81
SPCC	0.23*1020*C	7.56	865.11
SPCC	0.23*1020*C	6.7	857.81
SPCC	0.23*1020*C	7.12	865.11
SPCC	0.23*1020*C	6.57	857.81
SPCC	0.23*1020*C	5.969	857.81
SPCC	0.23*1020*C	6.58	857.81
SPCC	0.23*1020*C	7.04	865.11
SPCC	0.23*1020*C	7.46	857.81
SPCC	0.23*1020*C	7.35	865.11
SPCC	0.23*1020*C	8.26	857.81
SPCC	0.23*1020*C	6.5	857.81
SPCC	0.23*1020*C	6.75	857.81
SPCC	0.23*1020*C	8.259	872.41
SPCC	0.23*1020*C	6.63	872.41
SPCC	0.23*1020*C	7.11	872.41
SPCC	0.23*1020*C	6.7	872.41
SPCC	0.23*1020*C	7.39	872.41

DC01	0.23*910*C	2.28	844.67
FA-DC01	0.25*1000*C	8.28	791.24
SPCC	0.25*1000*C	8.6	844.67
SPCC	0.25*1000*C	5.44	844.67
SPCC	0.25*1020*C	8.282	843.21
SPCC	0.25*1020*C	8.111	843.21
SPCC	0.25*1020*C	8.17	850.51
SPCC	0.25*1020*C	8.001	850.51
SPCC	0.25*1020*C	8.504	850.51
SPCC	0.25*1020*C	7.96	859.27
SPCC	0.25*1020*C	7.26	859.27
SPCC	0.25*1020*C	6	859.27
SPCC	0.25*1020*C	5.91	859.27
SPCC	0.25*1020*C	6.05	859.27
SPCC	0.25*1020*C	6.042	859.27
SPCC	0.27*1020*C	4.54	843.21
SPCC	0.28*1020*C	7.02	850.51
SPCC	0.28*1020*C	9.97	850.51
SPCC	0.28*1020*C	7.87	850.51
SPCC	0.28*1020*C	8.6	850.51
SPCC	0.28*1020*C	7.097	850.51
SPCC	0.28*1020*C	7.57	850.51
SPCC	0.28*1020*C	7.165	859.27
SPCC	0.28*1020*C	7.036	859.27
SPCC	0.28*1020*C	7.164	859.27
SPCC	0.28*1020*C	7.17	859.27
SPCC	0.28*1020*C	7.26	859.27
BLD	0.3*1000*C	8.25	854.01
SPCC	0.3*1000*C	6.53	808.18
SPCC	0.3*1000*C	6.3	814.01
SPCC	0.3*1000*C	8.15	814.01
SPCC	0.3*1000*C	6.42	814.01
SPCC	0.3*1000*C	6.49	814.01
SPCC	0.3*1000*C	6.32	814.01
SPCC	0.3*1000*C	6.49	814.01
SPCC	0.3*1000*C	5.63	816.93
SPCC	0.3*1000*C	6.39	816.93
SPCC	0.3*1000*C	6.34	816.93
SPCC	0.3*1000*C	6.29	816.93
SPCC	0.3*1000*C	6.02	816.93
SPCC	0.3*1020*C	7.17	854.89
SPCC	0.3*1020*C	7.238	854.89
SPCC	0.3*1020*C	7.073	854.89
SPCC	0.3*1020*C	7.233	854.89
SPCC	0.3*1020*C	6.839	854.89
SPCC	0.3*1020*C	6.954	854.89
SPCC	0.3*1020*C	6.975	854.89
SPCC	0.3*1020*C	6.316	854.89
SPCC	0.3*1020*C	5.554	854.89
SPCC	0.3*1020*C	5.945	854.89
SPCC	0.3*1250*C	5.51	808.18
SPCC	0.3*1250*C	6.21	814.01
SPCC	0.3*1250*C	6.24	814.01
SPCC	0.3*1250*C	5.98	814.01

SPCC	0.3*1250*C	6.17	814.01
SPCC	0.3*1250*C	6.08	814.01
SPCC	0.35*1000*C	8.35	803.8
SPCC	0.35*1000*C	6.38	803.8
SPCC	0.35*1000*C	6.55	803.8
SPCC	0.35*1000*C	6.83	803.8
SPCC	0.35*1000*C	6.37	803.8
SPCC	0.35*1000*C	5.26	803.8
SPCC	0.35*1000*C	8.1	792.12
SPCC	0.35*1000*C	8.16	792.12
SPCC	0.35*1000*C	8.24	792.12
SPCC	0.35*1020*C	8.67	843.21
SPCC	0.35*1020*C	5.849	843.21
SPCC	0.35*1020*C	7.191	851.97
SPCC	0.35*1020*C	7.172	851.97
SPCC	0.35*1020*C	6.677	851.97
SPCC	0.35*1020*C	7.331	866.57
SPCC	0.35*1020*C	7.281	866.57
SPCC	0.35*1020*C	7.117	866.57
BLD	0.4*1000*C	5.83	843.21
BLD	0.4*1000*C	5.77	843.21
DC01	0.4*1000*C	8.135	761.46
SPCC	0.4*1000*C	9.247	835.91
SPCC	0.4*1000*C	6.47	800.88
SPCC	0.4*1000*C	6.49	800.88
SPCC	0.4*1000*C	6.38	800.88
SPCC	0.4*1000*C	6.49	800.88
SPCC	0.4*1000*C	6.48	800.88
SPCC	0.4*1000*C	6.36	800.88
SPCC	0.4*1000*C	6.47	800.88
SPCC	0.4*1000*C	6.62	800.88
SPCC	0.4*1000*C	6.5	800.88
SPCC	0.4*1000*C	6.61	800.88
SPCC	0.4*1000*C	6.14	800.88
SPCC	0.4*1014*C	10.67	828.61
SPCC	0.4*1020*C	10.767	835.91
SPCC	0.4*1020*C	7.899	835.91
SPCC	0.4*1020*C	10.714	873.87
SPCC	0.4*1100*C	10	762.92
SPCC	0.4*1100*C	9.3	762.92
SPCC-SD	0.4*1180*C	11.24	755.62
SPCC-SD	0.4*1180*C	10.77	755.62
SPCC	0.4*1230*C	13.76	851.09
SPCC	0.4*1250*C	5.82	799.42
SPCC	0.4*1250*C	6.25	800.88
SPCC	0.4*1250*C	6.29	800.88
SPCC	0.4*1250*C	6.3	800.88
SPCC	0.4*1250*C	6.07	800.88
SPCC	0.4*1250*C	6.61	800.88
SPCC	0.4*1250*C	5.96	800.88
SPCD	0.4*1260*C	10.96	777.52
SPCD	0.4*1260*C	10.95	777.52
SPCC	0.4*1385*C	8.25	755.62
DC01	0.4*1467*C	8.82	758.54

DC01	0.4*1467*C	8.8	758.54
DC04	0.4*850*C	7.42	868.61
SPCC	0.4*850*C	8.54	786.28
SPCC	0.4*850*C	13.1	786.28
SPCC	0.4*850*C	8.53	786.28
DC01	0.43*1250*C	23.15	738.1
DC01	0.45*1000*C	9.07	760
DC01	0.45*1000*C	8.33	760
DC01	0.45*1000*C	9.08	760
DC01	0.45*1000*C	9.45	760
SPCC	0.5*1000*C	8.6	792.12
SPCC	0.5*1000*C	8.73	792.12
SPCC	0.5*1000*C	9.93	749.78
SPCC	0.5*1000*C	5.39	764.38
SPCC	0.5*1020*C	7.26	832.99
SPCC	0.5*1020*C	7.157	832.99
SPCC	0.5*1020*C	6.36	832.99
SPCC	0.5*1020*C	5.697	832.99
SPCC	0.5*1020*C	7.438	832.99
SPCC	0.5*1020*C	7.06	832.99
SPCC	0.5*1020*C	7.486	832.99
SPCC	0.5*1020*C	7.14	832.99
SPCC	0.5*1020*C	7.54	832.99
SPCC	0.5*1020*C	6.109	830.07
SPCC	0.5*1020*C	8.179	830.07
SPCC	0.5*1020*C	6.088	830.07
SPCC	0.5*1020*C	9.074	830.07
SPCC	0.5*1020*C	6.913	830.07
SPCC	0.5*1070*C	5.9	741.02
SPCC	0.5*1070*C	6.068	741.02
SPCC	0.5*1070*C	5.635	741.02
SPCC	0.5*1070*C	6.355	741.02
SPCD	0.5*1090*C	12.01	954.16
SPCD	0.5*1090*C	11.15	957.08
SPCD	0.5*1090*C	10.89	957.08
DC05	0.5*1100*C	11.15	954.16
DC05	0.5*1100*C	11.28	954.16
DC01	0.5*1250*C	6.74	786.28
DC01	0.5*1250*C	6.63	786.28
DC01	0.5*1250*C	6.575	787.74
DC01	0.5*1250*C	7.06	787.74
SPCC	0.5*1250*C	10.78	865.69
SPCC	0.5*1250*C	11.21	865.69
SPCC	0.5*1250*C	11.96	865.69
SPCC	0.5*1250*C	11.47	865.69
SPCC	0.5*1250*C	13.74	865.69
SPCC	0.5*1250*C	13.77	865.69
SPCC	0.5*1250*C	7.27	866.57
SPCC	0.5*1250*C	9.79	869.49
SPCC	0.5*1250*C	10.13	869.49
SPCC	0.5*1250*C	6.4	792.12
SPCC	0.5*1250*C	6.44	792.12
SPCC	0.5*1250*C	18.38	749.78
SPCC	0.5*1250*C	12.62	840.29

SPCC	0.5*1250*C	12.72	840.29
DC01	0.5*1250*C	6.805	752.7
DC01	0.5*1250*C	6.84	752.7
DC01	0.5*1250*C	6.93	752.7
DC01	0.5*1250*C	6.92	752.7
DC01	0.5*1250*C	6.93	749.78
DC01	0.5*1250*C	7.09	749.78
DC01	0.5*1250*C	7.16	749.78
DC01	0.5*1250*C	7.19	749.78
DC01	0.5*1250*C	7.16	749.78
DC04	0.5*880*C	8.425	928.47
SPCC	0.5*900*C	5.705	808.18
SPCC	0.5*900*C	8.665	811.09
SPCC	0.5*900*C	10.955	808.18
SPCC	0.5*900*C	6.55	808.18
SPCC	0.5*900*C	7.36	764.38
SPCC	0.5*900*C	5.93	764.38
SPCC	0.5*900*C	4.1	741.02
SPCC	0.5*900*C	4.77	741.02
SPCC	0.5*900*C	8.34	741.02
SPCC	0.5*900*C	7.34	741.02
SPCC	0.5*900*C	7.39	741.02
SPCC	0.5*900*C	7.57	741.02
SPCC	0.57*1120*C	6.555	741.02
SPCC	0.57*1120*C	6.545	741.02
SPCC	0.57*1120*C	6.51	741.02
SPCC	0.59*1345*C	7.055	764.38
SPCC	0.6*1000*C	7.126	876.79
SPCC	0.6*1000*C	7.056	876.79
SPCC	0.6*1000*C	7.28	869.49
SPCD	0.6*1015*C	10.916	983.36
SPCC	0.6*1100*C	6.36	764.38
SPCC	0.6*1250*2500	2.943	1322.04
SPCC	0.6*1250*2500	2.943	1322.04
SPCC	0.6*1250*2500	2.943	1322.04
DC01	0.6*1250*C	13.697	752.7
DC01	0.6*1250*C	7.24	746.86
DC01	0.6*1250*C	7.27	746.86
DC01	0.6*1250*C	7.23	746.86
DC01	0.6*1250*C	7.545	783.36
DC01	0.6*1250*C	7.85	764.38
DC01	0.6*1250*C	7.84	764.38
DC01	0.6*1250*C	7.46	764.38
DC01	0.6*1250*C	6.79	757.08
DC01	0.6*1250*C	6.81	757.08
DC04-2	0.6*1250*C	7.83	808.18
DC04-2	0.6*1250*C	7.93	808.18
DC01	0.6*1280*C	6.76	755.62
DC01	0.6*1280*C	7.535	755.62
DC01	0.6*1280*C	7.255	755.62
DC01	0.6*1280*C	7.4	755.62
DC01	0.6*1280*C	7.58	755.62
DC01	0.6*1280*C	7.555	755.62
DC04-2	0.6*1440*C	13.78	830.07

SPCC	0.6*1440*C	7.595	764.38
SPCC	0.6*1499*C	9.25	869.49
SPCC	0.6*1499*C	9.14	869.49
SPCC	0.6*1499*C	3.92	869.49
SPCC	0.6*1499*C	9.41	870.95
SPCC	0.6*1499*C	9.43	870.95
SPCC	0.6*1499*C	9.5	870.95
DC04	0.6*1500*C	9.059	875.91
DC04	0.6*1500*C	9.864	875.91
SPCC	0.6*980*C	7.035	764.38
DC03	0.65*1210*C	9.25	890.51
SPCC-SD	0.65*1219*2438	4.58	748.32
SPCC-SD	0.65*1219*2438	4.57	748.32
SPCC-SD	0.65*1219*2438	4.58	748.32
SPCC-SD	0.65*1219*2438	4.57	748.32
SPCC-SD	0.65*1219*2438	4.525	748.32
SPCC-SD	0.65*1220*2440	2.815	743.94
SPCC-SD	0.65*1220*2440	2.8	743.94
SPCC-SD	0.65*1220*2440	2.805	743.94
SPCC-SD	0.65*1220*2440	2.81	743.94
SPCC-SD	0.65*1220*2440	2.815	743.94
SPCC-SD	0.65*1220*2440	2.805	743.94
DC06-B	0.65*1238*C	7.18	881.17
DC06-B	0.65*1238*C	7.18	881.17
DC06-B	0.65*1238*C	7.18	881.17
DC03	0.65*1255*C	3.68	852.55
SPCC	0.7*1000*C	5.262	814.01
SPCC	0.7*1000*C	4.928	806.72
SPCC	0.7*1000*C	5.15	806.72
SPCC	0.7*1000*C	5.172	814.01
SPCC	0.7*1000*C	7.392	859.27
SPCC	0.7*1000*C	8.795	859.27
DC01	0.7*1240*C	5.52	745.4
DC06	0.7*1240*C	8.67	873.87
DC06	0.7*1240*C	10.49	873.87
DC01	0.7*1250*C	9.389	746.86
DC01	0.7*1250*C	9.335	746.86
DC01	0.7*1250*C	8.9	746.86
DC01	0.7*1250*C	5.89	746.86
DC01	0.7*1250*C	6.205	755.62
DC01	0.7*1250*C	6.375	755.62
DC01	0.7*1250*C	10.79	745.4
DC01	0.7*1250*C	10.79	745.4
DC01	0.7*1250*C	10.88	746.86
DC01	0.7*1250*C	10.85	746.86
DC01	0.7*1250*C	10.97	746.86
DC01	0.7*1250*C	11.03	746.86
SPCC	0.7*1250*C	8.51	851.09
SPCC	0.7*1250*C	8.66	851.09
SPCC	0.7*1250*C	8.18	837.37
SPCC	0.7*1250*C	8.04	837.37
SPCC	0.7*1250*C	8.47	837.37
SPCC	0.7*1250*C	7.79	837.37
SPCC	0.7*1250*C	8.14	837.37

SPCC	0.7*1250*C	8.14	837.37
FA-DC04	0.7*1255*C	10.45	859.85
FA-DC04	0.7*1255*C	10.84	859.85
SPC270D	0.7*1264*C	6.97	860.73
B180H1	0.7*1280*C	5.3	968.76
B180H1	0.7*1280*C	5.5	968.76
B180H1	0.7*1280*C	3.48	851.09
FA-B180H1	0.7*1280*C	2.18	743.07
WH180B	0.7*1280*C	11.33	793.58
WH180B	0.7*1280*C	10.9	793.58
DC06	0.7*1281*C	24.3	866.57
DC03	0.7*1285*C	2.425	845.26
B180H1	0.7*1290*C	3.84	851.09
DC03-B	0.7*1300*C	11.22	830.07
DC03-B	0.7*1300*C	11.03	830.07
DC04-B	0.7*1300*C	4.22	866.57
DC04-B	0.7*1300*C	10.89	866.57
DC04-B	0.7*1300*C	10.84	866.57
DC04-B	0.7*1300*C	4.27	866.57
DC04-B	0.7*1300*C	11.09	866.57
DC04-B	0.7*1300*C	10.88	866.57
DC06	0.7*1395*C	12.33	1029.2
DC06	0.7*1460*C	9.048	917.66
DC06	0.7*1460*C	9.056	917.66
FA-DC06	0.7*1470*C	8.75	889.05
FA-DC06	0.7*1470*C	8.42	889.05
FA-DC06	0.7*1470*C	12.12	889.05
FA-DC06	0.7*1470*C	12.08	889.05
FA-DC06	0.7*1470*C	8.78	889.05
FA-B170P1	0.7*1480*C	2.29	732.85
FA-B170P1	0.7*1480*C	1.68	734.31
FA-B170P1	0.7*1480*C	1.63	734.31
FA-B170P1	0.7*1480*C	1.62	734.31
SPCC	0.7*1550*C	12.22	815.47
SPCC	0.7*1550*C	13.21	815.47
SPCC	0.7*1550*C	10.47	815.47
SPCC	0.7*1550*C	10.56	815.47
DC06	0.7*1800*C	9.279	894.89
DC06	0.7*1800*C	9.27	894.89
BLD	0.7*1820*C	10.67	830.07
FA-DC04	0.7*1830*C	2.84	727.01
DC01	0.71*1200*C	7.074	738.1
DC01	0.71*1200*C	7.08	738.1
DC01	0.71*1200*C	7.094	738.1
DC04	0.75*1250*1590	4.949	851.97
DC04	0.75*1250*1590	4.82	851.97
DC04	0.75*1250*1590	4.973	851.97
FA-DC04	0.75*1250*1590	2.632	785.4
FA-DC04	0.75*1250*1590	2.656	785.4
DC01	0.75*1250*C	9.08	745.4
SAE1020	0.75*1250*C	7.615	1075.33
SAE1020	0.75*1250*C	7.71	1075.33
DC01	0.76*1420*C	7.13	735.18
DC01	0.76*1420*C	7.08	735.18

SPCC	0.77*1225*C	7.278	733.72
SPCC	0.77*1225*C	7.308	733.72
SPCC	0.77*1225*C	7.394	733.72
DC01	0.78*970*C	6	733.72
DC01-A	0.8*1000*C	7.75	764.38
DC01-A	0.8*1000*C	6.49	764.38
DC01-A	0.8*1000*C	6.49	764.38
DC01-A	0.8*1000*C	6.7	764.38
DC01-A	0.8*1000*C	6.7	764.38
DC01-A	0.8*1000*C	6.75	764.38
DC01-A	0.8*1000*C	6.75	764.38
DC01-A	0.8*1000*C	6.63	764.38
DC01-A	0.8*1000*C	6.62	764.38
DC01-A	0.8*1000*C	6.62	764.38
DC01-A	0.8*1000*C	6.72	764.38
DC01-A	0.8*1000*C	6.52	764.38
DC01-A	0.8*1000*C	6.52	764.38
DC01-A	0.8*1000*C	6.33	764.38
DC01-A	0.8*1000*C	6.68	764.38
DC01-A	0.8*1000*C	6.68	764.38
DC01-A	0.8*1000*C	6.69	764.38
DC01-A	0.8*1000*C	6.69	764.38
DC01-A	0.8*1000*C	6.5	764.38
DC01-A	0.8*1000*C	6.5	764.38
DC01-A	0.8*1000*C	6.61	764.38
DC01-A	0.8*1000*C	6.61	764.38
DC01-A	0.8*1000*C	6.13	764.38
DC01-A	0.8*1000*C	6.13	764.38
DC01-A	0.8*1000*C	6.44	764.38
DC01-A	0.8*1000*C	6.44	764.38
DC01-A	0.8*1000*C	6.55	764.38
DC01-A	0.8*1000*C	6.55	764.38
DC01-A	0.8*1000*C	6.46	764.38
DC01-A	0.8*1000*C	6.64	764.38
DC01-A	0.8*1000*C	6.64	764.38
DC01-A	0.8*1000*C	6.54	764.38
DC01-A	0.8*1000*C	6.54	764.38
DC01-A	0.8*1000*C	6.58	764.38
DC01-A	0.8*1000*C	6.58	764.38
DC01-A	0.8*1000*C	4.84	764.38
DC01-A	0.8*1000*C	7.75	764.38
DC01-A	0.8*1000*C	6.4	764.38
DC01-A	0.8*1000*C	6.48	764.38
SPCC	0.8*1000*C	6.582	792.12
SPCC	0.8*1000*C	8.045	806.72
SPCC	0.8*1000*C	7.1	799.42
SPCC	0.8*1000*C	9.786	806.72
SPCC	0.8*1000*C	6.469	799.42
SPCC	0.8*1000*C	9.911	808.18
SPCC	0.8*1000*C	9.947	808.18
SPCC	0.8*1000*C	9.932	808.18
SPCC	0.8*1000*C	9.97	808.18
SPCC	0.8*1000*C	7.622	797.96
SPCC	0.8*1000*C	7.167	797.96

SPCC	0.8*1000*C	8.183	797.96
DC01	0.8*1010*C	6.77	730.8
DC01	0.8*1010*C	6.76	730.8
DC01	0.8*1010*C	6.47	730.8
DC01	0.8*1010*C	9.62	764.38
DC04	0.8*1012*C	4.11	918.25
DC04	0.8*1012*C	4.25	918.25
DC04	0.8*1012*C	4.47	918.25
DC04	0.8*1012*C	4.11	918.25
SPCC	0.8*1020*C	9.74	821.31
SPCC	0.8*1020*C	5.152	806.72
DC04	0.8*1027*C	3.63	913.87
DC04	0.8*1027*C	4.91	918.25
DC04	0.8*1030*C	11.29	978.98
DC05	0.8*1035*C	11.19	957.66
DC06	0.8*1090*C	9.58	862.19
DC06	0.8*1090*C	9.61	862.19
DC06	0.8*1090*C	9.62	862.19
DC06	0.8*1090*C	9.84	862.19
DC06	0.8*1090*C	9.83	862.19
DC06	0.8*1090*C	9.85	862.19
DC06	0.8*1090*C	9.65	862.19
SPCC	0.8*1096*C	10.09	873.87
DC04	0.8*1098*C	10.85	978.98
DC06	0.8*1100*C	10.14	982.48
DC06	0.8*1100*C	10.99	982.48
DC06	0.8*1100*C	11.53	982.48
DC06	0.8*1100*C	11.98	982.48
SPCC	0.8*1150*C	5.452	730.8
SPCC	0.8*1150*C	5.488	730.8
SPCC	0.8*1150*C	5.342	730.8
DC05	0.8*1165*C	11.68	922.04
DC05	0.8*1165*C	9.96	939.56
DC05	0.8*1165*C	10.62	935.18
DC05	0.8*1165*C	12.58	939.56
DC05	0.8*1165*C	10.96	935.18
DC05	0.8*1165*C	9.63	935.18
DC05	0.8*1165*C	10.12	939.56
DC05	0.8*1165*C	12.44	939.56
DC05	0.8*1205*1560	4.91	925.55
DC05	0.8*1205*1560	3.848	925.55
DC05	0.8*1205*1560	4.344	943.07
SPCC	0.8*1219*C	7.84	821.9
SPCC-SD	0.8*1219*C	8.86	764.38
DC01	0.8*1228*C	3.215	730.8
DC01	0.8*1228*C	3.215	730.8
SPCC	0.8*1228*C	3.83	730.8
DC01	0.8*1250*C	12.27	851.09
DC01	0.8*1250*C	12.09	851.09
DC01	0.8*1250*C	12.21	851.09
DC01	0.8*1250*C	12.12	851.09
DC01	0.8*1250*C	9.477	745.4
DC01	0.8*1250*C	9.35	745.4
DC01	0.8*1250*C	11.29	738.1

DC01	0.8*1250*C	11.15	738.1
DC01	0.8*1250*C	11.33	738.1
DC01	0.8*1250*C	11.49	738.1
DC01	0.8*1250*C	11.3	738.1
DC01	0.8*1250*C	11.28	738.1
DC01	0.8*1250*C	11.38	738.1
DC01	0.8*1250*C	11.33	738.1
DC01	0.8*1250*C	11.2	738.1
DC01	0.8*1250*C	11.44	738.1
DC04	0.8*1250*C	9.89	1000
SPCC	0.8*1250*C	12.27	836.5
SPCC	0.8*1250*C	12.47	836.5
SPCC	0.8*1250*C	13.65	836.5
SPCC	0.8*1250*C	13.55	836.5
SPCC	0.8*1250*C	13.72	836.5
SPCC	0.8*1250*C	8.74	841.75
SPCC	0.8*1250*C	6.346	741.02
DC05	0.8*1310*C	8.76	932.26
DC05	0.8*1310*C	8.84	932.26
DC05	0.8*1310*C	8.73	932.26
FA-DC04	0.8*1335*2000	2.347	824.82
FA-DC04	0.8*1335*2000	4.845	824.82
DC06	0.8*1400*C	11.01	891.39
DC06	0.8*1400*C	9.39	891.39
DC06	0.8*1400*C	10.16	982.48
DC06	0.8*1400*C	12.21	982.48
BLC	0.8*1420*C	8.3	771.68
FA-BUSD	0.8*1420*C	3.88	837.96
DC05(DC06)	0.8*1425*C	5.32	932.26
SPCC	0.8*1499*C	9.19	836.5
SPCC	0.8*1499*C	9.19	836.5
SPCC	0.8*1499*C	9.18	836.5
SPCC	0.8*1499*C	9.42	851.09
SPCC	0.8*1499*C	9.37	851.09
SPCC	0.8*1499*C	9.36	851.09
SPCC	0.8*1499*C	9.33	851.09
SPCC	0.8*1499*C	10.76	830.07
SPCC	0.8*1499*C	10.625	830.07
SPCC	0.8*1499*C	9.31	830.07
DC05	0.8*1500*C	7.48	1023.36
DC06	0.8*1500*C	10.02	982.48
DC06	0.8*1500*C	10.41	982.48
DC06	0.8*1500*C	10.4	982.48
DC06-A	0.8*1500*C	6.29	881.17
DC04	0.8*1520*1930	4.31	905.99
DC01	0.8*1550*C	2.66	773.14
FA-BLD	0.8*1570*C	4.63	874.74
FA-BUSD	0.8*1570*C	5.61	859.85
BUSD	0.8*1580*C	10.84	962.04
DC04	0.8*1630*C	9.57	997.08
DC01	0.8*1640*C	6.51	770.22
DC06	0.8*1685*C	2.7	906.57
FA-DC04	0.8*1699*C	9.58	859.85
FA-DC03	0.8*1700*C	2.24	797.08

SPCC	0.8*1700*C	7.165	799.42
SPCC	0.8*1700*C	13.045	803.8
SPCC	0.8*1700*C	5.465	799.42
SPCC	0.8*1700*C	9.94	808.76
BUSD	0.8*1710*C	8.8	957.66
FA-DC05	0.8*1726*C	3.155	867.15
DC04	0.8*1740*C	2.1	887.59
DC01	0.85*914*C	6.1	697.23
DC01	0.85*914*C	7.92	697.23
DC01	0.85*914*C	7.76	701.61
DC01	0.85*914*C	7.72	701.61
DC01	0.85*914*C	7.98	701.61
DC01	0.85*914*C	7.67	701.61
DC01	0.85*914*C	7.78	701.61
DC01	0.85*914*C	7.87	701.61
DC01	0.85*914*C	3.78	701.61
SPCC-SD	0.87*1200*C	5.144	730.8
SPCC-SD	0.88*1219*C	7.57	730.8
SPCC-SD	0.88*1219*C	7.61	730.8
SPCC-SD	0.88*1219*C	7.56	730.8
DC01-A	0.9*1000*C	6.73	757.08
DC01-A	0.9*1000*C	5.76	757.08
DC01-A	0.9*1000*C	5.76	757.08
DC01-A	0.9*1000*C	6.61	757.08
DC01-A	0.9*1000*C	6.61	757.08
DC01-A	0.9*1000*C	6.62	757.08
DC01-A	0.9*1000*C	6.62	757.08
DC01-A	0.9*1000*C	6.3	757.08
DC01-A	0.9*1000*C	6.3	757.08
DC01-A	0.9*1000*C	6.12	757.08
DC01-A	0.9*1000*C	6.12	757.08
DC01-A	0.9*1000*C	6.44	757.08
DC01-A	0.9*1000*C	6.68	757.08
DC01-A	0.9*1000*C	6.56	757.08
DC01-A	0.9*1000*C	6.56	757.08
DC01-A	0.9*1000*C	6.43	757.08
DC01-A	0.9*1000*C	6.43	757.08
DC01-A	0.9*1000*C	6.54	757.08
DC01-A	0.9*1000*C	6.54	757.08
DC01-A	0.9*1000*C	6.57	757.08
DC01-A	0.9*1000*C	6.57	757.08
DC01-A	0.9*1000*C	6.52	757.08
DC01-A	0.9*1000*C	6.52	757.08
DC01-A	0.9*1000*C	6.62	757.08
DC01-A	0.9*1000*C	6.62	757.08
DC01-A	0.9*1000*C	6.53	757.08
DC01-A	0.9*1000*C	6.53	757.08
DC01-A	0.9*1000*C	6.57	757.08
DC01-A	0.9*1000*C	6.57	757.08
DC01-A	0.9*1000*C	6.44	771.68
DC01-A	0.9*1000*C	6.44	771.68
DC01-A	0.9*1000*C	6.62	771.68
DC01-A	0.9*1000*C	6.62	771.68
SPCC	0.9*1219*C	6.32	836.5

SPCC	0.9*1219*C	5.49	836.5
SPCC	0.9*1219*C	5.93	836.5
SPCC-SD	0.9*1220*2440	3.85	714.74
SPCC-SD	0.9*1220*2440	3.725	736.64
SPCC-SD	0.9*1220*2440	3.645	736.64
SPCC	0.9*1232*C	7.612	726.42
SPCC	0.9*1232*C	7.57	726.42
DC01	0.9*1250*C	10.81	719.12
DC01	0.9*1250*C	11.6	719.12
DC01	0.9*1250*C	11.47	719.12
DC01	0.9*1250*C	10.82	719.12
SPCC	0.9*1250*C	11.59	724.96
SPCC	0.9*1250*C	4.415	730.8
DC01	0.9*1322*C	8.915	764.38
DC01	0.9*1322*C	8.875	764.38
DC01	0.9*1322*C	8.365	764.38
SPCC	0.9*1330*C	8.81	764.38
SPCC	0.9*1330*C	8.96	764.38
SPCC	0.9*1360*C	13.21	726.42
SPCC	0.9*1380*C	8.63	726.42
SPCC	0.9*1400*C	8.35	726.42
SPCC	0.9*1400*C	7.06	726.42
SPCC	0.9*1400*C	8.49	726.42
SPCC	0.9*1400*C	8.6	726.42
SPCC	0.9*1400*C	8.62	726.42
SPCC	0.9*1400*C	7.83	726.42
SPCC	0.9*1425*C	6.288	726.42
SPCC	0.9*1425*C	6.304	726.42
SPCC	0.9*1500*C	8.49	730.8
DC06	0.9*1655*C	3.965	957.66
DC04	0.9*1660*C	7.11	851.09
DC06	0.9*1730*C	1.98	826.28
DC06	0.9*1730*C	2.52	840.88
FA-DC06	0.9*1730*C	2.34	840.88
FA-DC06	0.9*1730*C	3.48	845.26
FA-DC06	0.9*1730*C	8.16	894.89
DC01-A	0.9*900*C	6.33	757.08
DC01-A	0.9*900*C	6.07	764.38
DC01-A	0.9*900*C	6.07	764.38
DC01-A	0.9*900*C	5.87	764.38
DC01-A	0.9*900*C	5.87	764.38
DC01-A	0.9*900*C	7.5	764.38
DC01-A	0.9*900*C	7.5	764.38
DC01-A	0.9*900*C	6.77	764.38
DC01-A	0.9*900*C	6.77	764.38
DC01	0.9*927*C	6.18	876.79
DC01	0.9*927*C	6.18	876.79
DC01	0.9*927*C	6.24	876.79
DC01	0.9*927*C	6.24	876.79
DC01	0.9*927*C	8.59	876.79
DC01	0.9*927*C	8.59	876.79
DC01	0.9*927*C	6.24	876.79
DC01	0.9*927*C	6.24	876.79
DC01	0.9*927*C	8.51	876.79

DC01	0.9*927*C	8.51	876.79
DC01	0.9*927*C	8.59	876.79
DC01	0.9*927*C	8.59	876.79
DC01	0.9*927*C	6.16	876.79
DC01	0.9*927*C	6.16	876.79
DC01	0.9*927*C	6.18	876.79
DC01	0.9*927*C	6.18	876.79
DC01	0.9*927*C	6.27	876.79
DC01	0.9*927*C	6.27	876.79
DC01	0.9*927*C	6.16	876.79
DC01	0.9*927*C	6.16	876.79
DC01-A	0.9*950*C	6.46	757.08
DC01-A	0.9*950*C	5.59	757.08
DC01-A	0.9*950*C	5.59	757.08
DC01-A	0.9*950*C	7.18	757.08
DC01-A	0.9*950*C	6.46	764.38
DC01-A	0.9*950*C	6.21	764.38
DC01-A	0.9*950*C	6.1	764.38
DC01-A	0.9*950*C	6.1	764.38
DC01-A	0.9*950*C	6.2	764.38
DC01-A	0.9*950*C	6.2	764.38
DC01	0.96*1000*C	7.85	735.18
DC01	0.96*1200*C	7.41	730.8
DC01	0.96*1200*C	7.275	730.8
SPCC	0.96*1230*C	7.866	726.42
SPCC	0.96*1230*C	7.868	726.42
SPCC	0.96*1230*C	7.892	726.42
SPCC	0.96*1230*C	7.704	726.42
SPCC	0.97*917*C	3.155	758.54
DC01	1.0*1000*C	9.83	829.2
DC01	1.0*1000*C	15.33	829.2
DC01	1.0*1000*C	9.27	729.34
DC01	1.0*1000*C	9.485	729.34
DC01-A	1.0*1000*C	8.02	749.78
DC01-A	1.0*1000*C	6.73	749.78
DC01-A	1.0*1000*C	6.72	749.78
DC01-A	1.0*1000*C	6.42	749.78
DC01-A	1.0*1000*C	6.13	749.78
DC01-A	1.0*1000*C	6.54	749.78
DC01-A	1.0*1000*C	6.61	749.78
DC01-A	1.0*1000*C	6.61	749.78
DC01-A	1.0*1000*C	6.53	749.78
DC01-A	1.0*1000*C	6.53	749.78
DC01-A	1.0*1000*C	6.53	749.78
DC01-A	1.0*1000*C	6.53	749.78
DC01-A	1.0*1000*C	6.53	749.78
DC01-A	1.0*1000*C	6.13	749.78
DC01-A	1.0*1000*C	8.22	749.78
DC01-A	1.0*1000*C	6.76	771.68
DC01-A	1.0*1000*C	6.59	771.68
DC01-A	1.0*1000*C	6.59	771.68
DC01-A	1.0*1000*C	6.42	771.68
DC01-A	1.0*1000*C	6.13	771.68
DC01-A	1.0*1000*C	6.54	771.68
DC04	1.0*1000*C	9.64	924.09

DC04	1.0*1000*C	9.34	924.09
DC04	1.0*1000*C	9.83	924.09
DC04	1.0*1000*C	9.84	924.09
SPCC	1.0*1000*C	6.79	738.1
SPCC	1.0*1000*C	7.91	738.1
SPCC	1.0*1000*C	6.95	738.1
DC05	1.0*1020*C	10.08	939.56
DC05	1.0*1020*C	9.66	939.56
DC05	1.0*1020*C	9.81	939.56
DC05	1.0*1020*C	9.54	939.56
DC05	1.0*1020*C	10.82	939.56
DC05	1.0*1020*C	10.12	939.56
DC01-A	1.0*1025*C	6.83	749.78
DC01-A	1.0*1025*C	6.75	749.78
DC01-A	1.0*1025*C	6.46	749.78
DC01-A	1.0*1025*C	6.57	749.78
DC01-A	1.0*1025*C	6.65	749.78
DC01-A	1.0*1025*C	6.65	749.78
DC01-A	1.0*1025*C	6.66	749.78
DC01-A	1.0*1025*C	6.66	749.78
DC01-A	1.0*1025*C	6.66	749.78
DC01-A	1.0*1025*C	6.75	749.78
DC01-A	1.0*1025*C	6.7	749.78
DC01-A	1.0*1025*C	6.7	749.78
DC01-A	1.0*1025*C	8.2	749.78
DC01-A	1.0*1025*C	8.2	749.78
DC01-A	1.0*1025*C	6.82	749.78
DC01-A	1.0*1025*C	6.82	749.78
DC01-A	1.0*1025*C	6.76	749.78
DC01-A	1.0*1025*C	6.76	749.78
DC01	1.0*1100*C	8.06	749.78
DC01	1.0*1130*C	6.678	736.64
DC01	1.0*1130*C	6.894	736.64
DC01	1.0*1205*C	11.88	836.5
DC01	1.0*1205*C	12.02	836.5
DC01	1.0*1205*C	11.88	836.5
DC01	1.0*1205*C	12.04	836.5
DC01	1.0*1205*C	11.9	836.5
DC01	1.0*1250*2500	4.906	924.96
DC01	1.0*1250*2500	4.906	924.96
DC01	1.0*1250*2500	4.906	924.96
DC01	1.0*1250*2500	5.398	714.74
DC01	1.0*1250*2500	5.398	714.74
DC01	1.0*1250*2500	5.386	714.74
DC01	1.0*1250*2500	2.914	714.74
DC01	1.0*1250*2500	5.386	714.74
DC01	1.0*1250*2500	5.404	714.74
DC01	1.0*1250*2500	5.396	714.74
DC01	1.0*1250*2500	5.374	719.12
DC01	1.0*1250*2500	5.388	719.12
DC01	1.0*1250*2500	5.384	719.12
DC04	1.0*1250*2500	4.304	971.68
DC04	1.0*1250*2500	4.374	971.68
DC04	1.0*1250*2500	4.324	971.68
DC04	1.0*1250*2500	2.644	971.68

DC04	1.0*1250*2500	4.374	971.68
DC01	1.0*1250*C	8.48	851.09
DC01	1.0*1250*C	8.37	851.09
DC01	1.0*1250*C	8.2	851.09
DC01	1.0*1250*C	11.06	851.09
DC01	1.0*1250*C	12.32	851.09
DC01	1.0*1250*C	12.34	851.09
DC01	1.0*1250*C	12.48	851.09
DC01	1.0*1250*C	12.03	851.09
DC01	1.0*1250*C	11.75	851.09
DC01	1.0*1250*C	12.04	851.09
DC01	1.0*1250*C	11.79	851.09
DC01	1.0*1250*C	12.08	851.09
DC01	1.0*1250*C	11.81	851.09
DC01	1.0*1250*C	7.92	859.27
DC01	1.0*1250*C	7.92	859.27
DC01	1.0*1250*C	8.04	859.27
DC01	1.0*1250*C	8.13	866.57
DC01	1.0*1250*C	6.225	749.78
DC01	1.0*1250*C	6.32	749.78
DC01	1.0*1250*C	9.43	757.08
DC01	1.0*1250*C	9.36	757.08
DC01	1.0*1250*C	9.83	757.08
DC01	1.0*1250*C	7.575	757.08
DC01	1.0*1250*C	9.945	757.08
DC01	1.0*1250*C	9.65	757.08
DC01	1.0*1250*C	8.115	757.08
DC01	1.0*1250*C	9.615	757.08
DC01	1.0*1250*C	9.71	757.08
DC01	1.0*1250*C	8.975	757.08
DC01	1.0*1250*C	11.72	726.42
DC01	1.0*1250*C	11.131	726.42
DC01	1.0*1250*C	11.46	727.88
DC01	1.0*1250*C	9.505	727.88
DC01	1.0*1250*C	9.399	727.88
DC01	1.0*1250*C	7.21	720.58
DC01	1.0*1250*C	7.745	720.58
DC01	1.0*1250*C	12.2	717.66
DC01	1.0*1250*C	11.23	717.66
DC01	1.0*1250*C	11.25	717.66
DC01	1.0*1250*C	10.78	717.66
DC01	1.0*1250*C	11.15	717.66
DC01	1.0*1250*C	11.23	717.66
DC01	1.0*1250*C	11.61	719.12
DC01	1.0*1250*C	11.21	719.12
DC01	1.0*1250*C	11.11	720.58
DC01	1.0*1250*C	11.73	720.58
DC01	1.0*1250*C	11.67	720.58
DC01	1.0*1250*C	11.32	724.96
DC04	1.0*1250*C	11.14	924.09
DC04	1.0*1250*C	11.77	924.09
DC04	1.0*1250*C	12.08	924.09
DC04	1.0*1250*C	11.86	924.09
DC04	1.0*1250*C	7.2	840.88

DC04	1.0*1250*C	6.919	840.88
SPCC	1.0*1250*C	8.54	846.13
SPCC	1.0*1250*C	7.53	846.13
SPCC	1.0*1250*C	8.52	846.13
SPCC	1.0*1250*C	9.19	822.77
SPCC	1.0*1250*C	9.03	822.77
SPCC	1.0*1250*C	9.03	822.77
SPCC	1.0*1250*C	12.7	811.09
DC05	1.0*1310*C	9.07	949.78
DC05	1.0*1310*C	8.98	949.78
DC05	1.0*1310*C	9	949.78
DC05	1.0*1310*C	9.06	949.78
DC05	1.0*1310*C	12.16	939.56
DC05	1.0*1310*C	10.076	942.48
DC05	1.0*1310*C	9.61	939.56
DC05	1.0*1310*C	12.09	939.56
DC05	1.0*1310*C	8.12	939.56
DC05	1.0*1310*C	12.114	939.56
SPCC	1.0*1499*3000	4.413	880.29
SPCC	1.0*1499*3000	3.459	888.47
SPCC	1.0*1499*3000	3.883	888.47
SPCC	1.0*1499*3000	3.494	888.47
SPCC	1.0*1499*3000	4.059	888.47
SPCC	1.0*1499*3000	4.413	888.47
SPCC	1.0*1499*3000	4.413	888.47
SPCC	1.0*1499*3000	4.342	888.47
SPCC	1.0*1499*3000	3.706	888.47
SPCC	1.0*1499*C	9.83	865.69
SPCC	1.0*1499*C	10.57	837.37
SPCC	1.0*1499*C	10.57	837.37
SPCC	1.0*1499*C	9.36	844.67
SPCC	1.0*1499*C	6.54	844.67
SPCC	1.0*1499*C	9.43	844.67
SPCC	1.0*1499*C	2.31	803.8
SPCC	1.0*1499*C	2.31	803.8
SPCC	1.0*1499*C	9.07	812.55
SPCC	1.0*1499*C	9.07	812.55
DC01	1.0*1500*C	8.92	749.78
DC03	1.0*1500*C	8.54	748.32
DC03	1.0*1500*C	6.76	767.3
DC03	1.0*1500*C	6.775	767.3
DC04	1.0*1500*C	13.73	924.09
DC04	1.0*1500*C	13.49	924.09
DC04	1.0*1500*C	13.79	924.09
DC06	1.0*1500*C	10.32	967.88
DC06	1.0*1500*C	10.33	967.88
DC06	1.0*1500*C	10.26	967.88
DC06	1.0*1500*C	10.39	967.88
SPCC	1.0*1500*C	9.23	729.34
SPCC	1.0*1500*C	9.14	729.34
SPCC	1.0*1500*C	9.64	834.45
SPCC	1.0*1500*C	9.3	834.45
SPCC	1.0*1500*C	9.24	834.45
DC04	1.0*1600*C	10.63	924.09

DC04	1.0*1600*C	11.15	924.09
DC04	1.0*1600*C	11.185	924.09
DC04	1.0*1600*C	10.21	800.88
SPCC	1.0*1600*C	13.7	816.93
DC01-A	1.0*900*C	6.1	764.38
DC01-A	1.0*900*C	6.1	764.38
DC01-A	1.0*900*C	6.08	764.38
SPCC	1.0*920*C	10.15	811.09
SPCC	1.0*920*C	10.43	811.09
DC01-A	1.0*950*C	6.35	749.78
DC01-A	1.0*950*C	6.35	749.78
DC01-A	1.0*950*C	6.17	749.78
DC01-A	1.0*950*C	6.17	749.78
DC01-A	1.0*950*C	6.25	749.78
DC01-A	1.0*950*C	6.25	749.78
DC01-A	1.0*950*C	5.87	764.38
DC01-A	1.0*950*C	6.43	764.38
DC01-A	1.0*950*C	5.92	764.38
DC01-A	1.0*950*C	5.92	764.38
DC01-A	1.0*950*C	5.93	764.38
DC01-A	1.0*950*C	5.93	764.38
DC01-A	1.0*950*C	6.33	764.38
DC01-A	1.0*950*C	6.33	764.38
DC01-A	1.0*950*C	6.12	764.38
DC04	1.1*1059*C	10.332	927.88
DC04	1.1*1059*C	10.828	927.88
DC04	1.1*1059*C	9.26	939.56
DC04	1.1*1059*C	11.294	927.88
DC04	1.1*1059*C	9.43	927.88
SPCC-SD	1.1*1219*2440	3.695	714.74
SPCC-SD	1.1*1219*2440	3.69	714.74
SPCC-SD	1.1*1219*2440	3.7	714.74
SPCC-SD	1.1*1219*2440	3.64	714.74
DC01	1.13*1225*C	7.882	714.74
DC01	1.13*1225*C	7.92	714.74
DC01	1.13*1225*C	7.512	714.74
DC01	1.13*1250*C	7.65	717.66
DC01	1.13*975*C	6.058	714.74
DC01	1.13*975*C	5.954	714.74
DC01	1.13*975*C	5.738	714.74
DC01	1.13*975*C	5.91	714.74
DC01	1.13*975*C	5.98	714.74
DC01	1.13*975*C	5.668	714.74
SPCC-SD	1.15*1219*2438	3.715	707.45
SPCC-SD	1.15*1219*2438	3.71	707.45
SPCC-SD	1.15*1219*2438	3.655	707.45
SPCC-SD	1.15*1219*2438	3.96	707.45
SPCC-SD	1.15*1219*2438	3.965	707.45
SPCC-SD	1.15*1219*C	6.4	719.12
SPCC-SD	1.15*1220*2440	3.73	724.96
SPCC-SD	1.15*1220*2440	3.605	724.96
SPCC-SD	1.15*1220*2440	3.685	729.34
SPCC-SD	1.15*1220*2440	3.63	729.34
DC01	1.15*1250*C	11.18	717.66

DC01	1.15*1250*C	7.75	717.66
DC01	1.15*1250*C	11.27	717.66
DC01	1.15*1250*C	11.26	717.66
DC01	1.15*1250*C	11.28	717.66
DC01	1.2*1000*C	9.4	821.9
DC01	1.2*1000*C	9.85	821.9
DC01	1.2*1000*C	9.38	821.9
DC01	1.2*1000*C	9.44	729.34
DC01	1.2*1000*C	9.32	729.34
DC04	1.2*1000*C	11.01	924.09
DC04	1.2*1000*C	10.87	924.09
DC04	1.2*1000*C	10.35	924.09
DC04	1.2*1000*C	10.52	924.09
DC04	1.2*1000*C	10.03	924.09
DC04	1.2*1000*C	2.67	880.29
DC04	1.2*1000*C	8.22	786.28
SPCC	1.2*1040*C	6.29	723.5
SPCC	1.2*1040*C	6.315	723.5
SPCC	1.2*1040*C	6.225	723.5
SPCC	1.2*1040*C	5.23	730.8
SPCC	1.2*1040*C	5.23	730.8
SPCC	1.2*1040*C	5.2	730.8
DC01	1.2*1090*C	6.04	719.12
DC01	1.2*1090*C	5.976	719.12
DC03	1.2*1092*C	11.47	854.01
DC01	1.2*1250*2500	4.68	888.47
DC01	1.2*1250*2500	4.71	888.47
SPCC	1.2*1250*2500	3.339	881.17
SPCC	1.2*1250*2500	4.297	881.17
SPCC	1.2*1250*2500	4.945	881.17
SPCC	1.2*1250*2500	4.474	888.47
SPCC	1.2*1250*2500	4.416	865.69
SPCC	1.2*1250*2500	4.416	865.69
SPCC	1.2*1250*2500	4.432	865.69
SPCC	1.2*1250*2500	3.826	865.69
SPCC	1.2*1250*2500	3.768	865.69
DC01	1.2*1250*C	11.64	829.2
DC01	1.2*1250*C	10.45	829.2
DC01	1.2*1250*C	10.54	829.2
DC01	1.2*1250*C	11.55	829.2
DC01	1.2*1250*C	11.94	829.2
DC01	1.2*1250*C	12.14	829.2
DC01	1.2*1250*C	7.99	830.07
DC01	1.2*1250*C	7.46	830.07
DC01	1.2*1250*C	8.58	830.07
DC01	1.2*1250*C	6.79	749.78
DC01	1.2*1250*C	7.4	749.78
DC01	1.2*1250*C	8.155	757.08
DC01	1.2*1250*C	9.63	757.08
DC01	1.2*1250*C	9.205	757.08
DC01	1.2*1250*C	7.78	757.08
DC01	1.2*1250*C	9.325	757.08
DC01	1.2*1250*C	8.2	757.08
DC01	1.2*1250*C	9.65	757.08

DC01	1.2*1250*C	9.36	757.08
DC01	1.2*1250*C	8.735	757.08
DC01	1.2*1250*C	9.175	757.08
DC01	1.2*1250*C	9.655	757.08
DC01	1.2*1250*C	9.705	757.08
DC01	1.2*1250*C	8.645	757.08
DC01	1.2*1250*C	9.425	726.42
DC01	1.2*1250*C	9.155	726.42
DC01	1.2*1250*C	7.472	735.18
DC01	1.2*1250*C	7.607	735.18
DC01	1.2*1250*C	5.64	749.78
DC01	1.2*1250*C	11.62	749.78
DC01	1.2*1250*C	11.34	719.12
DC01	1.2*1250*C	9.62	719.12
DC01	1.2*1250*C	11.36	719.12
DC01	1.2*1250*C	11.93	719.12
DC01	1.2*1250*C	11.32	720.58
DC01	1.2*1250*C	11.17	720.58
DC01	1.2*1250*C	10.45	720.58
DC01	1.2*1250*C	11.19	720.58
DC01	1.2*1250*C	11.13	720.58
DC01	1.2*1250*C	10.69	720.58
DC01	1.2*1250*C	11.28	720.58
DC01	1.2*1250*C	11.14	722.04
DC01	1.2*1250*C	6.79	726.42
DC04	1.2*1250*C	12.83	924.09
DC04	1.2*1250*C	4.085	786.28
DC04	1.2*1250*C	11.85	786.28
DC04	1.2*1250*C	8.393	793.58
DC04	1.2*1250*C	7.648	793.58
DC04	1.2*1250*C	7.65	793.58
DC04	1.2*1250*C	5.01	786.28
SPCC	1.2*1250*C	8.75	812.55
SPCC	1.2*1250*C	7.59	812.55
SPCC	1.2*1250*C	6.915	812.55
SPCC	1.2*1250*C	8.11	808.18
SPCC	1.2*1250*C	8.12	808.18
SPCC	1.2*1250*C	8.16	807.3
SPCC	1.2*1250*C	8.06	807.3
SPCC	1.2*1250*C	9.02	807.3
SPCC	1.2*1250*C	8.87	807.3
SPCC	1.2*1250*C	8.86	807.3
SPCC	1.2*1250*C	8.91	807.3
SPCC	1.2*1250*C	12.25	807.3
SPCC	1.2*1250*C	12.21	807.3
SPCC	1.2*1250*C	11.51	807.3
SPCC	1.2*1250*C	12.26	807.3
SPCC	1.2*1250*C	12.73	807.3
SPCC	1.2*1250*C	9.25	805.26
SPCC	1.2*1250*C	8.07	808.18
SPCC	1.2*1250*C	8.78	808.18
SPCC	1.2*1250*C	8.09	808.18
SPCC	1.2*1250*C	9.1	749.78
SPCC	1.2*1250*C	10.78	793.58

SPCC	1.2*1250*C	10.85	793.58
DC03	1.2*1280*C	7.535	767.3
HC260LA	1.2*1284*C	8.53	811.09
HC260LA	1.2*1284*C	8.44	811.09
DP600	1.2*1290*C	3.15	939.56
SPCC	1.2*1320*C	11.92	800
SPCC	1.2*1320*C	12.36	800
SPCC	1.2*1320*C	12.5	800
DC01	1.2*1340*C	7.432	719.12
DC01	1.2*1410*C	8.118	719.12
DC01	1.2*1410*C	8.224	719.12
DC03	1.2*1460*C	11.958	752.7
DC03	1.2*1460*C	8.56	767.3
DC03	1.2*1460*C	8.545	767.3
DC03	1.2*1460*C	8.46	767.3
DC03	1.2*1460*C	8.315	767.3
DC03	1.2*1460*C	8.295	767.3
DC03	1.2*1460*C	8.3	767.3
SPCC	1.2*1499*3000	4.913	888.47
SPCC	1.2*1499*3000	4.956	888.47
SPCC	1.2*1499*3000	4.913	888.47
SPCC	1.2*1499*3000	4.871	888.47
SPCC	1.2*1499*C	8.72	800.88
SPCC	1.2*1499*C	8.77	800.88
SPCC	1.2*1499*C	6.5	800.88
SPCC	1.2*1499*C	10.05	799.42
SPCC	1.2*1499*C	9.98	799.42
SPCC	1.2*1499*C	10.05	799.42
SPCC	1.2*1499*C	8.94	770.22
DC05	1.2*1500*C	10.718	903.94
DC05	1.2*1500*C	10.812	903.94
DC05	1.2*1500*C	10.626	903.94
DC04	1.2*1600*C	7.43	800.88
DC04	1.2*1600*C	7.59	800.88
DC04	1.2*1600*C	7.73	800.88
DC04	1.2*1600*C	7.43	800.88
SPCC	1.4*1250*C	8.78	814.6
SPCC	1.4*1250*C	9.12	814.6
SPCC	1.4*1250*C	8.98	814.6
SPCC	1.4*1250*C	8.98	814.6
SPCC	1.4*1250*C	9.06	808.18
SPCC	1.4*1250*C	8.36	808.18
SPCC	1.4*1250*C	9.63	808.18
SPCC	1.4*1250*C	8.72	808.18
SPCC	1.4*1250*C	10.25	808.18
SPCC	1.4*1250*C	7.52	719.12
SPCC	1.4*1250*C	7.77	730.8
DC01	1.45*1250*C	7.59	735.18
DC01	1.45*1250*C	6.805	735.18
DC01	1.45*1250*C	7.535	735.18
DC01	1.45*1250*C	7.505	735.18
DC01	1.45*1250*C	6.235	735.18
DC01	1.45*1250*C	6.235	735.18
DC01	1.45*1250*C	6.13	735.18

DC01	1.45*1250*C	6.245	735.18
SPCC	1.5*1250*2500	4.893	938.69
SPCC	1.5*1250*2500	4.893	938.69
SPCC	1.5*1250*2500	4.893	938.69
SPCC	1.5*1250*2500	4.893	938.69
SPCC	1.5*1250*2500	4.893	938.69
SPCC	1.5*1250*2500	4.047	938.69
DC01	1.5*1250*C	13.49	829.2
DC01	1.5*1250*C	13.46	829.2
DC01	1.5*1250*C	13.55	829.2
DC01	1.5*1250*C	10.98	836.5
DC01	1.5*1250*C	11.28	836.5
DC01	1.5*1250*C	7.84	830.07
DC01	1.5*1250*C	8.21	830.07
DC01	1.5*1250*C	9.65	749.78
DC01	1.5*1250*C	7.905	749.78
DC01	1.5*1250*C	7.505	749.78
DC01	1.5*1250*C	8.515	749.78
DC01	1.5*1250*C	6.47	749.78
DC01	1.5*1250*C	9.375	749.78
DC01	1.5*1250*C	9.61	749.78
DC01	1.5*1250*C	9.425	749.78
DC01	1.5*1250*C	6.63	749.78
DC01	1.5*1250*C	9.74	749.78
DC01	1.5*1250*C	9.645	749.78
DC01	1.5*1250*C	7.69	749.78
DC01	1.5*1250*C	9.995	749.78
DC01	1.5*1250*C	9.43	749.78
DC01	1.5*1250*C	6.92	749.78
DC01	1.5*1250*C	8.825	749.78
DC01	1.5*1250*C	9.855	749.78
DC01	1.5*1250*C	6.46	749.78
DC01	1.5*1250*C	6.715	749.78
DC01	1.5*1250*C	8.52	749.78
DC01	1.5*1250*C	8.395	757.08
DC01	1.5*1250*C	8.93	757.08
DC01	1.5*1250*C	9.745	757.08
DC01	1.5*1250*C	8.215	757.08
DC01	1.5*1250*C	9.28	757.08
DC01	1.5*1250*C	9.52	757.08
DC01	1.5*1250*C	9.92	757.08
DC01	1.5*1250*C	6.23	749.78
DC01	1.5*1250*C	7.72	749.78
DC01	1.5*1250*C	7.715	749.78
DC01	1.5*1250*C	11.13	714.74
DC01	1.5*1250*C	11.59	714.74
DC01	1.5*1250*C	11.38	714.74
DC01	1.5*1250*C	11.23	714.74
DC01	1.5*1250*C	11.24	714.74
DC01	1.5*1250*C	11.34	719.12
DC01	1.5*1250*C	11.22	719.12
DC01	1.5*1250*C	11.14	719.12
DC01	1.5*1250*C	11.32	719.12
DC01	1.5*1250*C	11.25	719.12

DC04	1.5*1250*C	10.68	924.09
DC04	1.5*1250*C	10.66	924.09
DC04	1.5*1250*C	10.52	924.09
DC04	1.5*1250*C	10.47	924.09
DC04	1.5*1250*C	12.56	924.09
SPCC	1.5*1250*C	8.03	803.8
SPCC	1.5*1250*C	8.11	803.8
SPCC	1.5*1250*C	8.03	803.8
SPCC	1.5*1250*C	9.78	814.6
SPCC	1.5*1250*C	7	814.6
SPCC	1.5*1250*C	7.95	814.6
SPCC	1.5*1250*C	8.66	814.6
SPCC	1.5*1250*C	8.06	814.6
SPCC	1.5*1250*C	12.07	814.6
SPCC	1.5*1250*C	10.14	814.6
SPCC	1.5*1250*C	10.62	814.6
SPCC	1.5*1250*C	8.71	814.6
SPCC	1.5*1250*C	8.86	814.6
SPCC	1.5*1250*C	8.86	814.6
SPCC	1.5*1250*C	8.72	814.6
SPCC	1.5*1250*C	8.09	814.6
SPCC	1.5*1250*C	8.41	808.18
SPCC	1.5*1250*C	8.04	815.47
SPCC	1.5*1250*C	8.04	815.47
SPCC	1.5*1250*C	8.22	815.47
SPCC	1.5*1250*C	9.315	749.78
SPCC	1.5*1250*C	7.84	749.78
SPCC	1.5*1250*C	7.83	749.78
SPCC	1.5*1250*C	7.74	749.78
SPCC	1.5*1250*C	8.8	793.58
SPCD	1.5*1251*C	11.18	736.64
SPCD	1.5*1251*C	10.93	736.64
SPCD	1.5*1251*C	11.72	736.64
SPCD	1.5*1251*C	11.57	736.64
SPCD	1.5*1251*C	11.57	736.64
SPCD	1.5*1251*C	11.49	736.64
DC01	1.5*1400*C	9.47	798.54
DC04	1.5*1400*C	8.69	793.58
DC04	1.5*1400*C	8.52	793.58
DC04	1.5*1400*C	8.5	793.58
DC01	1.5*1450*C	12.92	830.07
DC01	1.5*1450*C	12.86	830.07
DC01	1.5*1450*C	12.95	830.07
SPCC	1.5*1499*3000	3.367	888.47
SPCC	1.5*1499*3000	3.388	888.47
SPCC	1.5*1499*3000	3.918	888.47
SPCC	1.5*1499*3000	4.818	888.47
SPCC	1.5*1499*3000	2.311	880.29
SPCC	1.5*1499*3000	3.452	880.29
SPCC	1.5*1499*3000	4.13	880.29
SPCC	1.5*1499*3000	2.965	880.29
SPCC	1.5*1499*C	14.22	786.28
SPCC	1.5*1499*C	8.57	786.28
SPCC	1.5*1499*C	8.63	800.88

SPCC	1.5*1499*C	8.22	800.88
SPCC	1.5*1499*C	8.9	800.88
SPCC	1.5*1499*C	10.72	800.88
SPCC	1.5*1499*C	8.72	800.88
SPCC	1.5*1499*C	9.47	805.26
SPCC	1.5*1500*C	8.53	723.5
SPCC	1.5*1500*C	8.442	723.5
SPCC	1.5*1550*C	13.175	799.42
SPCC	1.5*1550*C	13.83	799.42
SPCC	1.5*1550*C	12.975	799.42
SPCC	1.5*1550*C	9.58	792.7
SPCC	1.5*1550*C	14.68	792.7
SPCC	1.5*1550*C	13.45	792.7
SPCC	1.5*1550*C	14.67	792.7
SPCC	1.5*1550*C	14.835	792.7
SPCC	1.5*1550*C	13.74	803.8
DC04	1.5*1600*C	9.96	793.58
DC04	1.5*1600*C	9.93	793.58
DC04	1.5*1600*C	10.15	793.58
DC04	1.5*1600*C	9.57	800.88
DC04	1.5*1600*C	9.74	800.88
HC340LA	1.5*1600*C	10	851.97
HC340LA	1.5*1600*C	9.83	851.97
HC340LA	1.5*1600*C	9.78	851.97
DC06	1.5*820*C	2.29	970.22
DC04	1.5*986*C	10.33	914.74
SPCC	1.55*1219*C	7.91	808.18
SPCC	1.6*1250*2500	3.493	888.47
SPCC	1.6*1250*2500	4.945	888.47
SPCC	1.6*1250*2500	4.435	888.47
SPCC	1.6*1250*2500	4.356	888.47
SPCC	1.6*1250*2500	4.945	892.85
DC03	1.6*1250*C	7.285	818.39
DC03	1.6*1250*C	7.285	818.39
SPCC	1.6*1250*C	10.3	835.91
SPCC	1.6*1250*C	6.86	835.91
SPCC	1.6*1250*C	13.36	851.09
SPCC	1.6*1250*C	10.54	851.09
SPCC	1.6*1250*C	10.4	851.09
SPCC	1.6*1250*C	9.07	851.09
SPCC	1.6*1250*C	9.05	851.09
SPCC	1.6*1250*C	9.26	851.09
SPCC	1.6*1250*C	8.78	837.37
SPCC	1.6*1250*C	10.4	837.37
SPCC	1.6*1250*C	10.36	837.37
SPCC	1.6*1250*C	8.78	837.37
SPCC	1.8*1100*C	9.76	714.74
SPCC	1.8*1100*C	9.8	714.74
SPCC	1.8*1100*C	9.79	714.74
SPCC	1.8*1100*C	9.77	714.74
SPCC	1.8*1100*C	8.43	714.74
SPCC	1.8*1100*C	6.58	713.28
SPCC	1.8*1100*C	9.75	713.28
DC01	1.8*1115*C	10.78	735.18

DC01	1.8*1120*C	7.758	714.74
DC01	1.8*1120*C	7.514	714.74
DC04	1.8*1130*C	9.7	793.58
DC04	1.8*1130*C	9.735	793.58
DC04	1.8*1130*C	9.54	793.58
DC04	1.8*1130*C	10.29	793.58
DC04	1.8*1130*C	9.585	793.58
DC04	1.8*1130*C	9.555	793.58
DC04	1.8*1130*C	10.095	793.58
DC04	1.8*1130*C	9.59	793.58
SPCC	1.8*1145*C	6.314	714.74
SPCC	1.8*1145*C	6.574	714.74
SPCC	1.8*1145*C	6.07	714.74
SPCC	1.8*1250*2500	4.945	888.47
SPCC	1.8*1250*2500	4.283	888.47
SPCC	1.8*1250*2500	4.945	888.47
SPCC	1.8*1250*2500	4.945	888.47
SPCC	1.8*1250*2500	4.857	888.47
SPCC	1.8*1250*2500	4.857	888.47
DC01	1.8*1250*C	7.285	735.18
DC01	1.8*1250*C	7.25	735.18
DC01	1.8*1250*C	6.905	735.18
DC01	1.8*1250*C	6.01	735.18
DC01	1.8*1250*C	8.65	714.74
DC01	1.8*1250*C	7.37	710.36
DC01	1.8*1250*C	7.28	713.28
DC01	1.8*1250*C	8.32	713.28
DC01	1.8*1250*C	7.876	719.12
DC01	1.8*1250*C	7.85	764.38
DC01	1.8*1250*C	7.52	713.28
DC01	1.8*1250*C	6.4	713.28
DC01	1.8*1250*C	7.49	713.28
SPCC	1.8*1250*C	9.18	797.96
SPCC	1.8*1250*C	12.84	807.3
SPCC	1.8*1250*C	7.88	793.58
SPCC	1.8*1250*C	8.08	793.58
SPCC	1.8*1250*C	10.4	797.96
SPCC	1.8*1250*C	10.36	797.96
SPCC	1.8*1250*C	10.48	797.96
SPCC	1.8*1250*C	7.68	735.18
SPCC	1.8*1250*C	7.64	735.18
SPCC	1.8*1250*C	11.73	793.58
SPCC	1.8*1250*C	12.51	793.58
SPCC	1.8*1250*C	12.48	777.52
SPCC	1.8*1499*C	8.98	800.88
SPCC	1.8*1499*C	9.01	800.88
SPCC	1.8*1499*C	8.08	800.88
SPCC	1.8*1499*C	8.1	800.88
SPCC	1.8*1499*C	7.97	800.88
DC01	1.8*1500*C	14.175	717.66
DC01	1.8*1500*C	10.76	717.66
DC01	1.8*1500*C	13.58	717.66
DC01	1.8*1500*C	13.655	717.66
SPCC	1.8*1500*C	8.87	711.82

SPCC	1.8*1500*C	9.04	711.82
SPCC	1.8*1500*C	9	711.82
SPCC	1.8*1500*C	9.01	711.82
SPCC	1.8*1500*C	9.06	711.82
SPCC	1.8*1500*C	9.04	711.82
DC04	1.8*1660*C	12.384	808.18
DC04	1.8*1660*C	9.305	808.18
DC04	1.8*1660*C	9.295	808.18
DC04	1.8*1660*C	9.201	808.18
DC04	1.8*1660*C	9.335	808.18
DC04	1.8*1660*C	9.47	808.18
DC04	1.8*1660*C	9.226	808.18
DC04	1.8*1660*C	9.06	808.18
DC04	1.8*1660*C	8.408	808.18
DC04	1.8*1660*C	8.617	808.18
DC04	1.8*1660*C	8.03	808.18
DC01	1.91*1475*C	6.614	714.74
DC01	1.91*1475*C	6.604	714.74
DC01	1.91*1475*C	6.552	714.74
DC01	1.91*1475*C	6.636	714.74
DC01	1.91*1475*C	6.58	714.74
DC01	1.91*1475*C	8.725	714.74
SPCC	2.0*1000*2000	4.784	888.47
SPCC	2.0*1000*2000	4.804	888.47
SPCC	2.0*1000*2000	4.961	888.47
SPCC	2.0*1000*2000	4.867	888.47
SPCC	2.0*1000*2000	4.678	888.47
SPCC	2.0*1000*2000	4.835	888.47
SPCC	2.0*1000*C	9.9	764.38
SPCC	2.0*1000*C	9.25	764.38
DC01	2.0*1250*2500	3.434	815.47
DC01	2.0*1250*2500	4.66	917.66
DC01	2.0*1250*2500	4.857	924.96
DC01	2.0*1250*2500	4.857	924.96
DC01	2.0*1250*2500	4.906	924.96
DC01	2.0*1250*2500	5.885	720.58
DC01	2.0*1250*2500	5.785	720.58
DC01	2.0*1250*2500	5.745	720.58
DC01	2.0*1250*2500	5.735	720.58
DC01	2.0*1250*2500	5.735	720.58
DC01	2.0*1250*2500	4.075	720.58
DC01	2.0*1250*2500	4.445	720.58
DC01	2.0*1250*2500	4.82	720.58
DC01	2.0*1250*2500	5.325	720.58
SPCC	2.0*1250*2500	4.415	917.66
SPCC	2.0*1250*2500	4.759	917.66
DC01	2.0*1250*C	13.56	836.5
DC01	2.0*1250*C	12.14	836.5
DC01	2.0*1250*C	8.88	836.5
DC01	2.0*1250*C	11.74	836.5
DC01	2.0*1250*C	12.02	836.5
DC01	2.0*1250*C	7.82	837.37
DC01	2.0*1250*C	8.14	837.37
DC01	2.0*1250*C	8.18	837.37

DC01	2.0*1250*C	7.8	837.37
DC01	2.0*1250*C	8.465	757.08
DC01	2.0*1250*C	8.35	757.08
DC01	2.0*1250*C	9.69	757.08
DC01	2.0*1250*C	9.55	757.08
DC01	2.0*1250*C	9.06	757.08
DC01	2.0*1250*C	9.685	757.08
DC01	2.0*1250*C	7.435	757.08
DC01	2.0*1250*C	7.17	749.78
DC01	2.0*1250*C	6.755	749.78
DC01	2.0*1250*C	7.605	749.78
DC01	2.0*1250*C	6.83	714.74
DC01	2.0*1250*C	6.9	714.74
SPCC	2.0*1250*C	8.45	814.01
SPCC	2.0*1250*C	7.87	806.72
SPCC	2.0*1250*C	14.02	821.9
SPCC	2.0*1250*C	6.64	821.9
SPCC	2.0*1250*C	7.36	821.9
SPCC	2.0*1250*C	8.34	821.9
SPCC	2.0*1250*C	7.68	821.9
SPCC	2.0*1250*C	7.79	821.9
SPCC	2.0*1250*C	12.32	821.9
SPCC	2.0*1250*C	12.46	821.9
SPCC	2.0*1250*C	10.22	822.77
SPCC	2.0*1250*C	10.38	822.77
SPCC	2.0*1250*C	8.38	822.77
SPCC	2.0*1250*C	8.73	749.78
SPCC	2.0*1250*C	8.74	749.78
SPCC	2.0*1250*C	7.56	749.78
SPCC	2.0*1250*C	7.67	749.78
SPCC	2.0*1250*C	9	793.58
SPCC	2.0*1250*C	9.01	793.58
SPCC	2.0*1250*C	9.01	793.58
SPCC	2.0*1250*C	8.68	793.58
SPCC	2.0*1250*C	12.82	800.88
SPCC	2.0*1250*C	13.16	800.88
SPCC	2.0*1250*C	9.78	803.8
SPCC	2.0*1250*C	10.88	803.8
DC04	2.0*1330*C	7.74	802.92
DC04	2.0*1330*C	7.57	802.92
DC04	2.0*1330*C	7.56	802.92
DC03	2.0*1470*C	8.525	767.3
DC03	2.0*1470*C	8.4	767.3
DC03	2.0*1470*C	8.195	767.3
SPCC	2.0*1499*3000	4.552	880.29
SPCC	2.0*1499*3000	4.572	880.29
SPCC	2.0*1499*3000	4.567	880.29
SPCC	2.0*1499*3000	3.601	880.29
DC06	2.0*1499*C	10.13	982.48
DC06	2.0*1499*C	9.46	982.48
DC06	2.0*1499*C	9.2	982.48
SPCC	2.0*1499*C	8.13	821.9
SPCC	2.0*1499*C	8.11	821.9
SPCC	2.0*1499*C	8.11	821.9

SPCC	2.0*1499*C	8.06	821.9
SPCC	2.0*1499*C	8.21	821.9
SPCC	2.0*1499*C	8.05	821.9
SPCC	2.0*1499*C	8.26	821.9
SPCC	2.0*1499*C	8.14	821.9
SPCC	2.0*1499*C	8.58	800.88
SPCC	2.0*1499*C	8.78	800.88
SPCC	2.0*1499*C	8.33	800.88
SPCC	2.0*1499*C	10.11	793.58
SPCC	2.0*1499*C	10.13	793.58
SPCC	2.0*1499*C	10.17	793.58
SPCC	2.0*1499*C	10.17	793.58
SPCC	2.0*1499*C	9.95	793.58
DC01	2.0*1500*C	9.1	764.38
DC01	2.0*1500*C	9.08	764.38
SPCC	2.0*1500*C	13.37	799.42
SPCC	2.0*1500*C	12.3	799.42
SPCC	2.0*1550*C	9.56	789.2
SPCC	2.0*1550*C	14.99	789.2
SPCC	2.0*1550*C	10.42	789.2
SPCC	2.0*1550*C	10.115	789.2
SPCC	2.0*1550*C	12.515	794.16
SPCC	2.3*1250*C	12.27	836.5
SPCC	2.3*1250*C	13.37	836.5
SPCC	2.3*1250*C	13.44	836.5
SPCC	2.3*1250*C	13.43	836.5
SPCC	2.3*1250*C	12.8	836.5
SPCC	2.3*1250*C	12.86	836.5
SPCC	2.3*1250*C	5.39	786.86
SPCC	2.3*1250*C	8.715	818.39
SPCC	2.3*1250*C	10.025	822.77
SPCC	2.3*1250*C	9.605	822.77
SPCC	2.3*1250*C	9.81	822.77
SPCC	2.3*1250*C	10.315	822.77
SPCC	2.3*1250*C	7.555	822.77
SPCC	2.3*1250*C	7.67	822.77
DC01	2.3*1350*C	9.324	749.78
DC01	2.3*1350*C	9.17	749.78
DC01	2.3*1350*C	9.31	749.78
DC01	2.3*1350*C	9.349	749.78
DC01	2.3*1350*C	9.323	749.78
DC01	2.3*1350*C	9.443	749.78
DC01	2.3*1350*C	9.339	749.78
DC01	2.3*1350*C	9.413	749.78
SPCC	2.5*1350*C	6.97	700.15
SPCC	2.5*1350*C	6.76	700.15
SPCC	2.5*1350*C	9.1	704.53
SPCC	2.5*1350*C	9.15	704.53
SPCC	2.5*1350*C	6.96	704.53
SPCC	2.5*1350*C	6.96	704.53
FA-SPCC	2.5*1499*3000	2.294	778.1
DC03	2.5*1500*C	12.65	808.18
DC03	2.5*1500*C	13.255	808.18
DC03	2.5*1500*C	13.41	837.37

DC03	2.5*1500*C	13.2	837.37
DC03	2.5*1500*C	12.53	837.37
DC03	2.5*1500*C	12.95	837.37
DC03	2.5*1500*C	13.12	837.37
DC03	2.5*1500*C	14.21	851.97
DC03	2.5*1500*C	13.985	851.97
DC03	2.5*1500*C	12.925	851.97
DC03	2.5*1500*C	12.795	851.97
DC03	2.5*1500*C	14.365	851.97
DC03	2.5*1500*C	13.86	851.97
DC03	2.5*1500*C	14.305	851.97
DC03	2.5*1500*C	13.725	851.97
SPPC	2.5*1500*C	14.03	791.24
DC04	2.5*1550*C	7.19	815.47
DC04	2.5*1550*C	7.05	815.47
DC03	2.5*160*C	3.83	705.99
DC06	2.5*1700*C	8.87	866.57
DC01	2.9*1250*2500	5.195	743.94
DC01	2.9*1250*2500	5.26	749.78
DC01	2.9*1250*2500	5.184	749.78
DC01	2.9*1250*2500	5.385	749.78
DC01	2.9*1250*2500	5.38	749.78
DC01	2.9*1250*2500	5.175	749.78
DC01	2.9*1250*2500	5.24	749.78
DC01	2.9*1250*2500	5.31	749.78
DC01	2.9*1250*2500	5.33	749.78
DC01	2.9*1250*2500	5.115	749.78
DC01	2.9*1250*2500	5.33	749.78
DC01	2.9*1250*2500	5.335	749.78
DC01	2.9*1250*2500	5.33	749.78
DC01	2.9*1250*2500	5.115	749.78
DC01	2.9*1250*2500	5.265	749.78
DC01	2.9*1250*2500	5.19	749.78
DC01	2.9*1250*2500	3.199	749.78
DC01	2.9*1250*2500	5.335	749.78
DC01	2.9*1250*2500	5.12	749.78
DC01	2.9*1250*2500	5.26	749.78
DC01	2.9*1250*2500	5.33	749.78
DC01	2.9*1250*2500	5.335	749.78
DC01	2.9*1250*2500	5.115	749.78
DC01	2.9*1250*C	7.115	770.22
DC01	2.9*1250*C	6.51	770.22
DC01	2.9*1250*C	6.765	770.22
DC01	2.9*1250*C	6.795	770.22
DC01	2.9*1250*C	6.61	770.22
DC01	2.9*1250*C	6.51	770.22
DC04	2.9*1530*C	10.755	968.76
DC01	2.95*1250*2500	5.345	748.32
DC01	2.95*1250*2500	5.255	748.32
DC01	2.95*1250*2500	5.25	748.32
DC01	2.95*1250*2500	5.255	748.32
DC01	2.95*1250*2500	5.25	748.32
DC01	2.95*1250*2500	5.185	748.32
DC01	2.95*1250*2500	5.35	751.24

DC01	2.95*1250*C	7.33	776.06
DC01	2.95*1250*C	8.255	776.06
DC01	2.95*1250*C	6.585	776.06
DC01	2.95*1250*C	5.15	776.06
DC01	2.95*1250*C	8.255	776.06
DC01	2.95*1250*C	7.42	776.06
DC01	2.95*1250*C	8.36	776.06
DC01	2.95*1250*C	6.49	776.06
DC01	2.95*1250*C	6.485	776.06
DC01	2.95*1250*C	7.195	776.06
DC01	2.95*1250*C	6.875	776.06
DC01	3.0*1250*C	10.095	902.19
DC01	3.0*1250*C	9.09	902.19
DC01	3.0*1250*C	12.82	902.19
DC01	3.0*1250*C	9.965	902.19
DC01	3.0*1250*C	6.165	770.22
DC01	3.0*1250*C	6.23	793.58
DC01	3.0*1250*C	6.92	793.58
DC01	3.0*1250*C	6.945	793.58
DC01	3.0*1250*C	6.505	793.58
DC01	3.0*1250*C	7.995	793.58
DC01	3.0*1250*C	6.64	793.58
DC01	3.0*1250*C	3.975	793.58
DC01	3.0*1250*C	6.51	793.58
DC01	3.0*1250*C	6	793.58
DC01	3.0*1250*C	6.31	793.58
DC01	3.0*1250*C	6.825	793.58
DC01	3.0*1250*C	8.195	793.58
SPCC	3.0*1250*C	9.83	793.58
SPCC	3.0*1250*C	9.34	793.58
SPCC	3.0*1250*C	9.84	793.58
SPCC	3.0*1250*C	8.98	793.58
SPCC	3.0*1250*C	9.59	793.58
SPCC	3.0*1250*C	9.47	882.63
SPCC	3.0*1250*C	7.69	887.01
SPCC	3.0*1250*C	6.1	882.63
SPCC	3.0*1250*C	7.93	887.59
SPCC	3.0*1250*C	8.715	887.59
SPCC	3.0*1250*C	8.505	887.59
SPCC	3.0*1250*C	11.79	887.59
SPCC	3.0*1250*C	8.705	887.59
SPCC	3.0*1250*C	8.135	888.47
SPCC	3.0*1250*C	8.26	888.47
SPCC	3.0*1250*C	8.065	888.47
SPCC	3.0*1250*C	7.455	888.47
SPCC	3.0*1250*C	8.265	888.47
SPCC	3.0*1250*C	8.165	888.47
SPCC	3.0*1250*C	7.415	888.47
SPCC	3.0*1250*C	7.415	889.93
SPCC	3.0*1250*C	6.115	976.06
SPCC	3.0*1250*C	9.185	976.06
SPCC	3.0*1250*C	7.41	770.22
SPCC	3.0*1250*C	6.905	800.88
SPCC	3.0*1250*C	6.875	800.88

SPCC	3.0*1250*C	6.915	800.88
SPCC	3.0*1250*C	5.965	800.88
SPCC	3.0*1250*C	7.16	800.88
SPCC	3.0*1250*C	6.515	800.88
DC01	3.0*1280*C	7.285	800.88
DC01	3.0*1280*C	7.06	800.88
DC01	3.0*1280*C	6.965	800.88
DC01	3.0*1280*C	7.28	797.96
SPCC	3.0*1499*C	9.595	887.59
SPCC	3.0*1499*C	9.26	887.59
SPCC	3.0*1499*C	8.945	888.47
SPCC	3.0*1499*C	8.96	888.47
SPCC	3.0*1499*C	9.63	891.39
SPCC	3.0*1499*C	8.77	924.96
DC01	3.2*1250*2500	3.846	939.56
DC01	3.2*1250*2500	4.788	939.56
SPCC	3.2*1250*2500	4.553	924.96
SPCC	3.2*1250*2500	4.867	924.96
SPCC	3.2*1250*2500	4.867	924.96
SPCC	3.2*1250*2500	4.867	924.96
SPCC	3.2*1250*2500	4.867	924.96
SPCC	3.2*1250*2500	4.867	924.96
SPCC	3.2*1250*2500	4.867	927.88
SPCC	3.2*1250*2500	4.71	916.79
SPCC	3.2*1250*2500	4.003	916.79
SPCC	3.2*1250*2500	3.846	916.79
SPCC	3.2*1250*2500	4.867	916.79
SPCC	3.2*1250*2500	4.867	916.79
SPCC	3.2*1250*C	9.48	887.01
SPCC	3.2*1250*C	2	713.28
SPCC	3.2*1250*C	12.755	887.59
SPCC	3.2*1250*C	12.2	887.59
SPCC	3.2*1250*C	12.47	887.59
SPCC	3.2*1250*C	13.42	887.59
SPCC	3.2*1250*C	12.555	887.59
SPCC	3.2*1250*C	10.83	888.47
SPCC	3.2*1250*C	10.885	888.47
SPCC	3.2*1250*C	10.65	888.47
SPCC	3.2*1250*C	9.57	888.47
SPCC	3.2*1250*C	9.605	888.47
SPCC	3.2*1250*C	10.245	888.47
SPCC	3.2*1250*C	11.24	888.47
FA-DC04	3.2*1440*C	1.56	694.89
FA-DC04	3.2*1440*C	1.56	694.89
FA-DC04	3.2*1440*C	1.705	694.89
FA-DC03	3.2*1492*C	1.575	658.39
SPCC	3.2*1499*C	8.035	887.59
SPCC	3.2*1499*C	9.005	887.59
SPCC	3.2*1499*C	12.935	887.59
SPCC	3.2*1499*C	11.16	887.59
SPCC	3.2*1499*C	8.875	888.47
SPCC	3.2*1499*C	8.875	888.47
SPCC	3.2*1499*C	9.815	888.47
SPCC	3.2*1499*C	8.84	888.47

SPCC	3.2*1499*C	8.85	888.47
SPCC	3.5*1250*C	6.24	879.71
SPCC	3.5*1250*C	6.655	879.71
SPCC	3.5*1250*C	9.945	887.59
SPCC	3.5*1250*C	8.98	887.59
SPCC	3.5*1250*C	7.425	887.59
SPCC	3.5*1250*C	10.62	887.59
SPCC	3.5*1250*C	8.515	887.59
SPCC	3.5*1250*C	8	887.59
SPCC	3.5*1250*C	9.065	887.59
SPCC	3.5*1250*C	9.41	884.09
SPCC	3.5*1250*C	8.945	884.09
FA-SPCC	3.5*1300*C	1.535	620.44
FA-SPCC	3.5*1300*C	1.695	620.44
FA-SPCC	3.5*1300*C	1.525	664.23
SPCC	3.5*1499*C	9.05	887.59
SPCC	3.5*1499*C	4.705	887.59
SPCC	3.5*1499*C	9.77	887.59
SPCC	3.5*1499*C	10.67	888.47
SPCC	3.5*1499*C	10.565	888.47
SPCC	3.5*1499*C	10.52	888.47