

## HENAN BEBON INTERNATIONAL CO.,LTD.

Adress: 33#BUILDING. ENTERPRISES HEADQUARTERS BASE, RUIDA ROAD, NATIONAL  
HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ,ZHENGZHOU CITY 450000, CHINA.



**BEBON**  
BEBON INTERNATIONAL

Email: [bb@bebonchina.com](mailto:bb@bebonchina.com)

Mobile: +86-13526723480

Phone: +86-371-86151627

Fax: +86-371-86011881

Web: [www.bebonchina.com](http://www.bebonchina.com), [www.steel-plate-sheet.com](http://www.steel-plate-sheet.com)

Grade	Specification(mm)	Weight(mt)	EX-WORK (USD/MT )
DX51D+Z	1.5*1250*C	7.49	740.30
DX51D+Z	0.95*1250*C	11.37	716.06
DX51D+Z	3.0*960*C	8.385	653.94
DX51D+Z	0.95*1250*C	5.77	722.12
DX51D+Z	1.0*1250*C	8.055	781.21
DX51D+Z	1.0*1500*C	8.67	781.21
DX51D+Z	0.95*1250*C	9.265	752.42
DX51D+Z	3.0*960*C	8.385	653.94
DX51D+Z	0.95*1250*C	5.77	722.12
DX51D+Z	1.79*1250*C	11.435	766.06
DX51D+Z	1.2*1250*C	11.125	773.64
DX51D+Z	1.2*1500*C	9.615	773.64
DX51D+Z	1.6*1250*C	10.755	766.06
DX51D+Z	1.79*1500*C	9.85	766.06
DX51D+Z	0.4*1340*C	12.41	758.48
DX51D+Z	1.2*1250*C	11.315	773.64
DX51D+Z	1.0*1250*C	12.07	781.21
DX51D+Z	1.2*1500*C	9.45	773.64
DX51D+Z	1.5*1250*C	11.585	766.06
DX51D+Z	1.2*1500*C	8.46	773.64
DX51D+Z	1.79*1250*C	11.315	766.06
DX51D+Z	1.5*1250*C	11.465	766.06
DX51D+Z	1.79*1500*C	7.99	766.06
DX51D+Z	0.4*1340*C	10.8	758.48
DX51D+Z	1.0*1250*C	7.87	778.18
DX51D+Z	1.0*1250*C	7.72	834.24
DX51D+Z	2.5*1250*C	7.3	834.24
DX51D+Z	1.99*1250*C	7.85	788.79
DX51D+Z	1.5*1250*C	8.04	826.67
DX51D+Z	1.99*1250*C	7.86	766.06
DX51D+Z	1.0*1250*C	7.48	778.18
DX51D+Z	2.5*1250*C	7.82	834.24
DX51D+Z	1.99*1250*C	7.28	788.79
DX51D+Z	0.8*1250*C	8.13	826.67
DC51D+Z	1.20*1482*4840	1.013	715.15
DC51D+Z	1.5*1370*C	10.79	660.00
DC51D+Z	0.70*1649*C	9.09	751.52
DC51D+Z	0.70*1600*C	8.28	719.70

DC51D+Z	0.70*1600*C	12.88	746.97
DC51D+Z	0.80*1195*C	10.26	807.58
DC51D+Z	0.70*1600*C	7.61	750.00
DC51D+Z	1.5*1250*2500	4.93	840.91
DC51D+Z	0.50*1000*C	6.93	675.15
DC51D+Z	2.3*1250*C	10.75	713.03
DC51D+Z	0.8*1500*C	7.28	771.21
DC51D+Z	0.7*1250*C	7.07	783.33
DC51D+Z	0.6*1250*C	6.61	792.42
DC51D+Z	0.6*1250*C	6.27	792.42
DC51D+Z	1.2*1500*C	14.04	756.06
DC51D+Z	1.0*1000*C	7.82	760.61
DC51D+Z	0.7*1250*C	13.61	783.33
DC51D+Z	0.6*1250*C	8.07	792.42
DC51D+Z	1.2*1500*C	6.7	756.06
DC51D+Z	0.6*1250*C	8.36	792.42
DC51D+Z	1.5*1500*C	6.96	756.06
DC51D+Z	1.0*1000*C	7.94	760.61
DC51D+Z	2.0*1250*C	13.48	774.24
DC51D+Z	0.8*1500*C	7.28	771.21
DC51D+Z	0.7*1250*C	7.07	783.33
DC51D+Z	0.6*1250*C	6.61	792.42
DC51D+Z	0.6*1250*C	6.27	792.42
DC51D+Z	1.2*1500*C	14.04	756.06
SGCC	1.92*1250*C	8.93	763.03
SGCC	0.45*1203*C	9.44	770.61
SGCC	2.95*1250*C	7.91	816.06
SGCC	1.92*1250*C	7.43	763.03
SGCC	2.95*1250*C	7.71	816.06
SGCC	2.95*1250*C	7.9	816.06
SGCC	0.45*1203*C	9.06	770.61
SGCC	2.95*1250*C	8	816.06
SGCC	1.92*1250*C	8	763.03
SGCC	2.95*1250*C	7.9	816.06
SGCC	0.45*1203*C	9.06	770.61
SGCC	2.95*1250*C	8	816.06
SGCC	1.92*1250*C	8	763.03
SGCC	0.45*1203*C	7.79	770.61
SGCC	2.95*1250*C	8.07	816.06
SGCC	1.92*1250*C	7.99	763.03
SGCC	2.95*1250*C	7.71	816.06
SGCC	2.3*1250*C	7.56	743.33
SGCC	2.95*1250*C	7.83	816.06
SGCC	0.45*1203*C	8.16	770.61
SGCC	0.8*1173*C	7.57	632.73
SGCC	1.2*1320*C	5.86	635.76

SGCC	3*1250*C	7.81	781.21
SGCC	0.80*1200*C	7.43	750.00
SGCC	1.2*1250*C	5.82	632.73
SGCC	1*1250*C	5.78	632.73
SGCC	1.75*1270*C	12.84	695.45
SGCC	2.30*1161*C	6.84	692.42
SGCC	3.00*1000*C	8.73	737.88
SGCC	1.2*1219*C	4.98	811.52
SGCC	0.7*1219*C	4.75	831.21
SGCC	0.8*1220*C	4.51	803.94
SGCC	1.2*1220*C	5.4	796.36
DX51D	2.0*1250*2500	4.36	742.42
DX51D	1.20*1600*C	8.13	766.67
DX51D	1.20*1600*C	8.13	766.67
DX51D	0.4*1200*C	11.6	697.88
DX51D	1*1250*C	7.65	780.3
DX51D	1.5*1250*C	7.42	780.3
DX51D	1.0*1250*2500	3.925	788.79
DX51D	0.5*1295*C	7.62	849.39
DX51D	0.5*1039*C	3.63	753.94
DX51D	0.5*1295*C	7.52	849.39
DX51D	1.00*1250*C	7.94	828.79
DX51D	1*1250*C	7.33	765.15
DX51D	1.20*1600*C	8.13	766.67
DX51D	0.4*1200*C	11.6	697.88
DX51D	1*1250*C	7.65	780.3
DX51D	1.5*1250*C	7.42	780.3
DX51D	1.0*1250*2500	3.925	788.79
DX51D	0.5*1295*C	7.62	849.39
DX51D	0.5*1039*C	3.63	753.94
DX51D	0.5*1295*C	7.52	849.39
DX51D	0.8*1222*C	6.96	810.61
DX51D	1*1250*C	7.8	774.24
DX51D	1.6*1350*C	10.74	784.85
DX56D+Z	0.7*1565*C	9.02	803.79
DX56D+Z	0.65*1750*C	5.38	768.94
HCT600X+Z	1*1238*C	22.04	810.61
DX52D+Z	0.79*1100*C	3.275	690.15
DX56D+Z	0.65*1615*C	6.315	787.12
DX56D+Z	0.65*1615*C	6.365	787.12
DX56D+Z	0.7*1565*C	7.42	803.79
DX56D+Z	0.42*1235*C	2.985	685.61
DX56D+Z	0.65*1620*C	8.665	799.24
DX56D+Z	0.7*1400*C	8.61	761.36
DX56D+Z	0.7*1620*C	9.24	786.36
DX51D+Z	1.25*1500*C	12.87	689.39
DX52D+Z	0.43*1425*C	8.355	699.24

DX52D+Z	0.67*1535*C	4.945	690.15
DX51D+Z	0.39*1150*C	11.205	685.61