

HENAN BEBON INTERNATIONAL CO.,LTD.

Adress: 33#BUILDING.ENTERPRISES HEADQUARTERS BASE,RUIDA ROAD,NATIONAL HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE ,ZHENGZHOU CITY 450000, CHINA.



Email: bb@bebonchina.com Mobile: +86-15737657202
 Phone: +86-371-86151627 Fax: +86-371-86011881

Web: www.bebonchina.com, www.steel-plate-sheet.com

Grade	Specification(mm)	Weight(mt)	EX-WORK (USD/MT)
DC51D+Z	3*1177*C	6.845	783.24
DC51D+Z	0.7*1630*C	8.53	728.82
DC51D+Z	0.7*1598*C	8.39	728.82
DC51D+Z	0.70*1630*C	9.07	765.59
DC51D+Z	0.70*1598*C	12.91	765.59
DC51D+Z	0.70*1630*C	8.26	774.41
DC51D+Z	0.65*1020*C	4.24	711.18
DC51D+Z	0.6*1250*C	10.13	762.65
DC51D+Z	0.58*1265*C	3.39	715.59
DC51D+Z	0.6*1250*C	10.03	762.65
DC51D+Z	0.65*1157*C	3.18	696.47
DC51D+Z	0.6*1250*C	9.88	762.65
DC51D+Z	0.58*1100*C	3.78	715.59
DC51D+Z	0.65*940*C	7.37	745.00
DC51D+Z	0.7*980*C	4.17	700.88
DC51D+Z	0.65*1200*C	3.41	711.18
DC51D+Z	0.75*1200*C	4.63	730.29
DC51D+Z	2*1200*C	8.59	714.12
DC51D+Z	1.8*1250*C	4.42	690.59
DC51D+Z	0.78*1060*C	5.03	730.29
DC51D+Z	2.1*1132*C	9.12	714.12
DC51D+Z	0.55*1225*C	3.16	745.00
DC51D+Z	2.2*1430*C	5.81	714.12
DX51D+Z	1*1200*C	7.92	735.59
DX51D+Z	1.2*1250*C	7.2	729.71
DX51D+Z	0.8*1245*C	10.84	737.06
DX51D+Z	1*1405*C	9.88	736.18
DX51D+Z	0.75*1250*C	6.14	772.94
DX51D+Z	1.6*1183*0	7.59	790.59
DX51D+Z	1.2*1250*C	7.025	699.41
DX51D+Z	0.95*1420*C	26.345	670.00
DX51D+Z	0.9*1500*C*C	13.94	808.24
DX51D+Z	0.5*1200*C	6.76	789.12
DX51D+Z	0.4*1425*C*C	8.955	764.12
DX51D+Z	0.39*1400*C*C	9.995	749.41
DX51D+Z	0.5*1200*C	6.46	789.12
DX51D+Z	0.9*1250*C*C	22.955	800.88
DX51D+Z	0.5*1200*C	6.46	789.12
SGCC	0.6*1450*C	4.9	703.82
SGCC	2*1235*C	7.77	674.41

SGCC	1.99*1207*C	7.69	733.24
SGCC	2.75*1000*4000	4.505	724.41
SGCC	2.75*1000*4000	4.605	780.29
SGCC	0.75*1219*C	5.8	714.12
SGCC	1.6*1250*C	6.94	696.47
SGCC	3*1219*C	7.02	787.65
SGCC	1.5*1120*C	7.4	681.76
SGCC	1.9*1250*C	24.07	762.65
SGCC	0.7*1518*C	8.25	711.18
SGCC	0.8*1518*C	8.08	696.47
SGCC	0.7*1440*C	8.98	762.65
SGCC	0.6*1500*C	9.01	718.53
SGCC	0.45*1000*C	10.26	809.71
SGCC	2.75*1000*4000	4.555	739.12
DC51D+Z	0.5*1250*3000	/	505.88
DC51D+Z	0.65*1410*C	/	638.24
DC51D+Z	0.65*920*C	/	638.24
DC51D+Z	1.2*1250*C	/	742.65
DC51D+Z	1.4*1250*C	/	727.94
DC51D+Z	1.45*1250*C	/	727.94
DC51D+Z	1.5*1074*C	/	727.94
DC51D+Z	1.6*1250*C	/	772.06
DC51D+Z	1.6*198*C	/	816.18
DC51D+Z	1.6*218*C	/	786.76
DC51D+Z	2.5*1250*C	/	694.12
DC51D+Z	0.5*1000*C	/	661.76
DC51D+Z	0.65*1190*C	/	570.59
DC51D+Z	0.65*1550*C	/	617.65
DC51D+Z	0.7*1060*C	/	617.65
DC51D+Z	0.7*1118*C	/	617.65
DC51D+Z	0.7*1228*C	/	617.65
DC51D+Z	0.78*1060*C	/	617.65
DC51D+Z	0.78*1100*C	/	617.65
DC51D+Z	0.8*1250*C	/	617.65
DC51D+Z	0.8*1305*C	/	617.65
DC51D+Z	0.8*1500*C	/	617.65
DC51D+Z	0.8*1520*C	/	632.35
DC51D+Z	0.8*955*C	/	617.65
DC51D+Z	0.86*1250*C	/	632.35
DC51D+Z	0.9*1219*C	/	632.35
DC51D+Z	0.95*1219*C	/	632.35
DC51D+Z	1*1120*C	/	617.65
DC51D+Z	1*1219*C	/	617.65
DC51D+Z	1*1250*C	/	632.35
DC51D+Z	1.02*1168*C	/	632.35
DC51D+Z	1.2*1100*C	/	617.65
DC51D+Z	1.2*1137*C	/	617.65
DC51D+Z	1.2*1160*C	/	617.65

DC51D+Z	1.2*1219*C	/	632.35
DC51D+Z	1.2*1250*C	/	617.65
DC51D+Z	1.2*1350*C	/	617.65
DC51D+Z	1.4*1120*C	/	617.65
DC51D+Z	1.4*1250*C	/	632.35
DC51D+Z	1.4*1360*C	/	617.65
DC51D+Z	1.5*1500*C	/	617.65
DC51D+Z	1.6*1118*C	/	617.65
DC51D+Z	1.6*950*C	/	617.65
DC51D+Z	1.7*1570*C	/	617.65
DC51D+Z	1.75*1296*C	/	617.65
DC51D+Z	1.75*1500*C	/	617.65
DC51D+Z	1.8*1231*C	/	617.65
DC51D+Z	1.8*1281*C	/	617.65
DC51D+Z	2*1185*C	/	617.65
DC51D+Z	2*1200*C	/	617.65
DC51D+Z	2*1250*C	/	617.65
DC51D+Z	2*1320*C	/	617.65
DC51D+Z-JD1	0.78*1219*C	/	638.24
DC53D+Z	0.5*1503*C	/	808.82
DC53D+Z	0.6*1050*C	/	772.06
DC53D+Z	0.6*1080*C	/	652.94
DC53D+Z	0.75*1000*C	/	652.94
DC53D+Z	0.77*1250*C	/	741.18
DC53D+Z	0.8*1250*C	/	602.94
DC53D+Z	0.8*1330*C	/	652.94
DC53D+Z	2.25*1100*C	/	697.06
DC54D+Z	0.7*1500*C	/	564.71
DX53D+Z	0.87*1222*C	/	660.29
DX53D+Z	1.5*1110*C	/	660.29
SGCC	1.15*1219*C	/	638.24
SGCC	1.35*1219*C	/	645.59
S280GD+Z	0.75*990*C	/	638.24
HC420LAD+Z	1.5*1044*C	/	733.82