

# HENAN BEBON INTERNATIONAL CO.,LTD.

Address: 2nd Floor, No. 33 Hex Building, Enterprises Head Quarters Base, National High-Tech Industrial Development Zone, Zhengzhou, China



Email: [bb@bebonchina.com](mailto:bb@bebonchina.com)    Mobile: +86-15737657202

Phone: +86-371-86097200    Fax: +86-371-86011881

Web: [www.bebonchina.com](http://www.bebonchina.com), [www.steel-plate-sheet.com](http://www.steel-plate-sheet.com)

GRADE	Specification(mm)	Weight(mt)	EX-WORK PRICE (USD/KG)
316L	18*1500*6000	28.7	3.17
316L	8.0*1500*6000	22.6	2.8
316L	40*1500*6000	13.8	3.17
316L	10.0*1500*6000	9.6	2.8
316L	30*2000*6000	12.3	3.17
316L	3.0*1500*6000	16.6	3.07
316L	10.0*1800*6000	4.8	3.17
316L	20*1800*6000	9.8	3.17
316L	25*1800*6000	21.3	3.17
316L	20*1800*6000	14.6	3.17
316L	18*2000*6000	10.7	3.17
316L	35*1800*6000	12.1	3.17
316L	16*1800*6000	10.7	3.17
304	25*2000*6000	10.6	2.47
304	30*2000*6000	8.4	2.47
321	35*1800*6000	14.9	2.58
321	18*1500*6000	14.3	2.58
321	30*2000*6000	8.4	2.58
310S	5.0*1500*6000	12.2	4.61
310S	8.0*1500*6000	18.6	4.61
310S	18*1500*6000	14.3	4.82
316L	16*1800*6000	10.7	3.17
316L	20*1800*6000	14.6	3.17
321	12*1500*6000	28.9	2.58
321	14*2000*6000	12.1	2.58
321	4.0*1500*6000	6.8	2.56
321	35*1800*6000	14.9	2.58
321	18*1500*6000	14.3	2.58
321	30*2000*6000	8.4	2.58
310S	5.0*1500*6000	12.2	4.61
310S	8.0*1500*6000	18.6	4.61
310S	18*1500*6000	14.3	4.82
316L	12*1500*6000	9.8	2.85
316L	10.0*1800*6000	21.5	3.17
316L	28*1500*6000	12.4	3.17
316L	22*1500*6000	17.6	3.17
304	16*1500*6000	8.9	2.38
304	40*1500*6000	8.6	2.47
304	20*1800*6000	18.6	2.47

304	35*1800*6000	14.9	2.47
409L	2*1250*2440	2.178	1.58
430	0.085*50*c	0.059	2.31
430	0.1*619*c	0.313	2.28
430	0.085*50*c	0.07	2.31
SUH409L	1.5*1219*C	18.807	1.84
310S	0.3-3.0*1500*C	6.93	6.79
410	0.3-3.0*1219*C	6.93	1.53
430	0.3-3.0*1000*C	15.5	1.53
409	0.3-3.0*1219*C	9.21	1.46
316L	0.3-3.0*1000*C	5.6	2.85
201	0.3-3.0*1000*C	5.6	1.68
201	0.3-3.0*1500*C	2.8	1.68
430	0.3-3.0*1219*C	15.5	1.53
304L	2.0*1219*C	6.93	2.7
304L	2.5*1219*C	26.3	2.7
304L	0.8*1219*C	5.8	2.7
304L	1.2*1219*C	9.25	2.7
304L	3.0*1500*C	8.8	2.7
304L	0.7*1219*C	6.3	2.7
304L	2.0*1500*C	2.8	2.7
304L	0.6*1219*C	9.33	2.7
304L	2.5*1500*C	8.1	2.7
304L	3.0*1219*C	22.5	2.7
201	0.6*1265*C	3.62	1.1
430	0.7*1219*1720	5.2	1.02
SUS430	1*1219*C	6	1.68
SUS430	0.6*1250*C	7	1.7
SUS430	0.5*1250*C	7	1.7
316L	0.6*1000*C	11.2	3.31
316L	0.6*1220*C	8.7	3.26
304L	1.2*1220*C	16.6	2.58
304L	0.4*1220*C	12.4	2.76
304	3.0*1220*C	8.4	2.54
304	2.5*1000*C	6.4	2.58
304	1.2*1500*C	13.4	2.69
304	1.5*1000*C	11.6	2.58
316L	1.2*1220*C	12.3	3.2
201	0.8*1219*2438	14.6	1.37
201	1.0*1219*2438	9.2	1.4
310S	0.5*1220*C	12.2	5.62
201	3.0*1219*2438	9.5	1.4
310S	1.0*1220*C	18.9	5.29
201	1.2*1000*2000	16.6	1.34
310S	0.5*1000*C	16.7	5.62
310S	1.0*1000*C	6.2	5.3
310S	1.5*1000*C	11.6	5.26
201	1.2*1500*3000	9.5	1.78

430	0.5*1220*C	12.2	1.57
430	1.5*1220*C	10.7	1.46
316L	1.0*1500*C	12.1	3.33
304	1.5*1000*C	11.6	2.58
316L	3.0*1220*C	10.2	3.18
304L	2.0*1500*C	10.8	2.64
304	3.0*1500*C	16.2	2.64
316L	3.0*1220*C	10.2	3.18
304	2.0*1500*C	10.8	2.64
304	3.0*1500*C	16.2	2.64
316L	0.8*1220*C	10.2	3.23
304	0.6*1220*C	8.6	2.66
304L	0.5*1000*C	16.7	2.7
304L	0.8*1500*C	6.4	2.72
304L	0.7*1000*C	7.8	2.67
304L	0.9*1000*C	6.5	2.64
316L	0.8*1000*C	17.2	3.29
316L	1.5*1500*C	17.8	3.27
201	1.5*1219*2438	5.8	1.36